



CONSTRUCTION OPERATIONS TRAFFIC PROTECTION PLAN

EXISTING GUARDRAIL INVENTORY							PROTECTION PLAN	
BEGIN STA.	END STA.	OFFSET	LENGTH (LF)	APPROX. OFFSET DISTANCE FROM PROPOSED CENTERLINE TO FACE OF EXISTING RAIL (LF)	EXISTING RAIL TYPE (POST AND BARRIER)	ASSESSED CONDITION (GOOD/FAIR/POOR)	CONSTRUCTION CONDITION	900.640 BARRIER FOR TEMPORARY TRAFFIC PROTECTION (LF)
ELMORE VT 12								
229+88	241+95	RT	1207	16	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
239+29	243+61	LT	432	16	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
295+23	298+37	RT	314	15	STEEL W-BEAM	FAIR	REMOVE AND RESET TO FACE OF RAIL 17 FEET OFF PROPOSED CENTERLINE BEFORE SHOULDER RECONSTRUCTION AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	314
295+84	297+98	LT	214	16	STEEL W-BEAM	FAIR	REMOVE AND RESET TO FACE OF RAIL 17 FEET OFF PROPOSED CENTERLINE BEFORE SHOULDER RECONSTRUCTION AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	214
299+05	308+50	LT	945	16	2 CABLE	POOR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
357+73	359+63	LT	190	17	STEEL W-BEAM	FAIR	LEAVE IN PLACE FOR ALL OPERATIONS AND REMOVE AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
358+40	360+16	RT	176	16	STEEL W-BEAM	FAIR	LEAVE IN PLACE FOR ALL OPERATIONS AND REMOVE AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
MORRISVILLE VT 12								
A 67+09	A 68+98	LT	189	16	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
A 69+74	A 72+06	RT	232	15	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
A 74+05	A 80+32	RT	627	15	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
A 109+03	A 111+78	LT	275	15	STEEL W-BEAM	FAIR	REMOVE BEFORE SHOULDER RECONSTRUCTION AND DELINEATE WITH BARRELS AND INSTALL NEW AFTER COLD MIX LIFT OR TYPE IVS LEVELING COURSE IS COMPLETE.	-
							TOTAL =	528



• PAYMENT FOR THIS WORK WILL BE MADE UNDER ITEM #900.640 SPECIAL PROVISION (BARRIER FOR TEMPORARY TRAFFIC PROTECTION)



TEMPORARY TRAFFIC PROTECTION AND DELINEATION DETAILS DURING CONSTRUCTION

NOT TO SCALE

• PAYMENT FOR THIS WORK WILL BE INCLUDED IN THE UNIT PRICE BID FOR CONTRACT ITEM 641J0.

CONSTRUCTION OPERATIONS TRAFFIC PROTECTION PLAN

PROJECT NAME: ELMORE-MORRISTOWN	PLOT DATE: 3/3/14
PROJECT NUMBER: STP 2937 (1)	DRAWN BY: S. LAMPHERE
FILE NAME: z11c310.dgn	CHECKED BY: C. LATHROP
PROJECT LEADER: C. LATHROP	SHEET 193 OF 194
DESIGNED BY: S. LAMPHERE	
PLOT FILE: z11c310_192.i	

DETAILS ARE NOT TO SCALE