



REMOVAL OF EXISTING SIDEWALK (SOLID ROCK EXCAVATION) SITE 3 - N. WINOOSKI AVE - 27.3 SY SITE 4 - MAPLE STREET - 36.0 SY SITE 5 - 0+50.0 - 1+89.9 LT	REMOVAL OF EXISTING CURB SITE 3 - N. WINOOSKI AVE - 37.1 LF SITE 4 - MAPLE STREET - 46.9 LF SITE 5 - 0+50.0 - 1+89.9 LT	PORTLAND CEMENT CONCRETE SIDEWALK, 8 INCH SITE 5 - 0+60.0 - 1+47.7 LT SITE 5 - 1+51.7 - 1+84.9 LT
CHANGING ELEVATIONS OF DROP INLETS, CATCH BASINS, OR MANHOLES SITE 5 - 0+76.3 LT	PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH SITE 3 - N. WINOOSKI AVE - 29.2 SY SITE 4 - MAPLE STREET - 34.6 SY SITE 5 - 0+50.0 - 0+60.0 LT SITE 5 - 1+47.7 - 1+51.7 LT SITE 5 - 1+84.9 - 1+89.9 LT	5 INCH SIDEWALK RAMP WITH DETECTABLE WARNING SURFACE SITE 3 - N. WINOOSKI AVE / PEARL STREET - 24 SF (TYPE 4) SITE 4 - MAPLE STREET - 20 SF (TYPE 3)
PRECAST REINFORCED CONCRETE CURB, TYPE B SITE 3 - N. WINOOSKI AVE - 37.1 LF SITE 4 - MAPLE STREET - 47.3 LF SITE 5 - 0+50.0 - 0+75.0 LT SITE 5 - 1+41.2 - 1+60.0 LT SITE 5 - 1+79.0 - 1+79.0 LT SITE 5 - 1+78.4 - 1+89.9 LT	DURABLE 24 INCH STOP BAR SITE 3 - PEARL STREET - 13.2 LF	DURABLE CROSSWALK MARKING SITE 3 - PEARL STREET - 60.0 LF
	REMOVAL OF EXISTING PAVEMENT MARKINGS SITE 3 - PEARL STREET - 314 SF	SEED SITE 3 - N. WINOOSKI AVE - 10.9 SY SITE 4 - MAPLE STREET - 45.6 SY
	WIRED CONDUIT (2") (PVC) SITE 3 - N. WINOOSKI AVE - 11.1 LF	SPECIAL PROVISION (INLET PROTECTION, GEOTEXTILE FABRIC) SITE 3 - IEACH SITE 4 - IEACH
	SPECIAL PROVISION (HAND-PLACED BITUMINOUS CONCRETE MATERIAL, DRIVES) SITE 5 - 0+50.0 - 1+89.9 LT	

SEE LEGEND ON SHEET 3 GREEN INTERNATIONAL AFFILIATES, INC. CIVIL AND STRUCTURAL ENGINEERS