



- 1 REMOVE EXISTING 18 INCH DIA. CAST IRON PIPE FROM STA. 53+42.77 OFFSET 12.35' RT TO STA. 53+42.77' OFFSET 19.35' LT LENGTH = 31'-7"
- 2 REMOVE EXISTING 18 INCH DIA. CGMP FROM STA. 105+87.95 OFFSET 26.5' RT TO STA. 105+89.51 OFFSET 27.22' LT LENGTH = 54'-0"
- MH-1 NEW 48 INCH DIA PRECAST REINFORCED CONCRETE MANHOLE WITH CAST IRON COVER STA. 107+33.00 OFFSET 30.00' RT
- DI-1 NEW 48 INCH DIA PRECAST REINFORCED CONCRETE DROP INLET WITH CAST IRON GRATE, TYPE B STA. 107+66.85 OFFSET 30.39' RT

- 1 NEW 24 INCH DIA. CPEP(SL) PIPE FROM STA. 107+17.58 OFFSET 30.44' RT TO STA. 107+31.88 OFFSET 30.00' RT LENGTH 15'-0"
- 2 NEW 24 INCH DIA. CPEP(SL) PIPE FROM STA. 107+34.00 OFFSET 29.98' RT TO STA. 107+65.45 OFFSET 30.33' RT LENGTH 33'-0"
- 3 NEW 24 INCH DIA. CPEP(SL) PIPE FROM STA. 107+67.88 OFFSET 30.35' RT TO STA. 108+46.95 OFFSET 33.10' RT LENGTH 83'-0"

SCALE 1" = 10'-0"
 10 0 10

PROJECT NAME:	MORRISTOWN
PROJECT NUMBER:	BRS 0240(3)S/STP HES 030-2(28)
FILE NAME:	s78f329dra\inbdr.dgn
PROJECT LEADER:	C. CARLSON
DESIGNED BY:	C. BURRALL
VT 15A DRAINAGE LAYOUT SHEET 1	
PLOT DATE:	12-APR-2017
DRAWN BY:	G. ROKES
CHECKED BY:	J. LACROIX
SHEET	46 OF 175