



APPROACH SLAB NO 2 PLAN
SCALE 1/2" = 1'-0"

NOTE:

- NF = NEAR FACE
- FF = FAR FACE
- EF = EACH FACE
- ▲ = CUT TO FIT IN FIELD
- 3" CLEAR, UNLESS OTHERWISE SPECIFIED ON THE PLANS.
- 2'-2" BAR LAP UNLESS OTHERWISE SPECIFIED ON THE PLANS.

- LIMITS OF HPC CLOSURE POUR

NOTES:

1. LIFTING POINTS IN APPROACH SLABS TO BE LOCATED BY PRECASTER.
2. CONTRACTOR SHALL INCLUDE IN THE FABRICATION DRAWINGS THE METHOD AND DETAILS FOR ESTABLISHING CONTINUOUS CONTACT WITH SUBGRADE AND SUPPORT FOR PRECAST APPROACH SLABS.
3. MEMBRANE WATERPROOFING, SPRAY APPLIED SHALL BE APPLIED 2'-0" ONTO APPROACH SLAB FROM BEGIN/END BRIDGE.
4. FRONT FACE OF APPROACH SLAB SHALL BE VERTICAL WHEN PLACED ON APPROACH SLAB SEAT.
5. BURIED FRONT FACE OF PRECAST CONCRETE CURB AT APPROACH SLAB SHALL BE VERTICAL BELOW PAVEMENT TO AVOID CONFLICT WITH APPROACH SLAB.
6. SEE PRECAST APPROACH SLAB (1 OF 2) FOR JOINT DETAIL, SECTION A-A, AND SECTION B-B.

REV.	DESCRIPTION	DATE
▲	CONTRACTOR-FABRICATED PRECAST	12/01/2014
PROJECT NAME: CASTLETON		
PROJECT NUMBER: BRF 015-2(10)		
FILE NAME: z12bi38slab.dgn	PLOT DATE: 12/1/2014	
PROJECT LEADER: S.E. BURBANK	DRAWN BY: E.A. FIALA	
DESIGNED BY: E.A. FIALA	CHECKED BY: S.E. BURBANK	
PRECAST APPROACH SLABS (2 OF 2)	SHEET 46 OF 82	

