



CURB INLET PLAN VIEW
NOT TO SCALE

CURB INLET NOTES:

1. CURB INLET DEVICE SHALL MEET THE REQUIREMENTS OF NEENAH FOUNDRY COMPANY R-3165 SERIES, CAST IRON CURB INLET FRAME, TYPE A GRATE AND CURB BOX OR AN APPROVED EQUAL.
2. CONCRETE SHALL CONFORM TO THE REQUIREMENTS OF SECTION 541 FOR CONCRETE, CLASS B.
3. INSTALL EPOXY COATED WELDED WIRE REINFORCEMENT ALONG ALL FACES OF CONCRETE; MAINTAIN 2 INCHES CLEAR COVER. PAYMENT WILL BE MADE UNDER ITEM 900.620, "SPECIAL PROVISION (CURB INLET DEVICE)."
4. PAYMENT FOR INSTALLATION OF THE CURB INLET DEVICE AND CONCRETE, CLASS B WILL BE MADE UNDER ITEM 900.620, "SPECIAL PROVISION (CURB INLET DEVICE)."
5. DRAINAGE PIPE SHALL BE FASTENED TO THE CURB INLET DEVICE BY MECHANICAL MEANS OR THROUGH THE USE OF A FLEXIBLE RUBBER SLEEVE. PAYMENT FOR FASTENER SHALL BE INCIDENTAL TO ITEM 900.602, "SPECIAL PROVISION (CURB INLET DEVICE)."



CURB INLET ELEVATION
NOT TO SCALE
(AT FACE OF CURB)



SECTION A-A
NOT TO SCALE

TYLIN INTERNATIONAL	PROJECT NAME: CHelsea	PLOT DATE: 8/31/2016
	PROJECT NUMBER: BHF 0169(10)	DRAWN BY: S. MORGAN
	FILE NAME: z12ci52drndet.dgn	CHECKED BY: J. HOWE
DESIGNED BY: T. POULIN	CURB INLET DETAILS	SHEET 89 OF 137