

D4-14-20
ROYALTON

PROPERTY OWNERS:
MARGRET (PEG) ELMER
RIGHT OF ENTRY/ LIMITED RELEASE

BUILDING

THE EXISTING WALKING PATH SHALL BE RE-ESTABLISHED DURING THE PLACEMENT OF STONE FILL. THE STONE FILL SHALL BE CHINKED ELIMINATE VOIDS AND COVERED WITH A LAYER OF BANK RUN GRAVEL 6 FEET WIDE AND 1 FOOT DEEP. THIS WORK SHALL BE INCIDENTAL TO ITEM STONE FILL TYPE IV.



PROPERTY OWNERS:
CHARLES & KATHY WELCH
RIGHT OF ENTRY

WOODED AREA



MM 3.30

VT 14 NORTH BOUND

VT 14 SOUTH BOUND

LEDGE

STONE FILL SLOPE PROTECTION WITH STONE TOE WALL
ITEM UNCLASSIFIED CHANNEL EXCAVATION
ITEM STONE FILL, TYPE IV
ITEM RIP RAP, HEAVY TYPE
ITEM GRUBBING MATERIAL

560' +/- (SEE NOTE)

WHITE RIVER

FLOW

NOTE:

EXACT LIMIT OF WORK TO BY DETERMINED BY THE RESIDENT ENGINEER.
UTILITIES ARE SHOWN ON PLANS FOR APPROXIMATE LOCATION AND HAVE NOT BEEN VERIFIED,
CONTRACTOR IS ADVISED TO CONTACT DIGSAFE PER GENERAL NOTE 5 ON SHEET 6

*NTS

PROJECT NAME: HARTFORD-RANDOLPH
PROJECT NUMBER: ER 014-7(21)

FILE NAME:
PROJECT LEADER: CHRIS BUMP
DESIGNED BY: ANDREW BERNIER
PLAN SHEETS

PLOT DATE: 11-JUL-2013
DRAWN BY: ANDREW BERNIER
CHECKED BY: MICHELLE REDMOND
SHEET 10 OF 20