



NOTE: ASSUME ONE ROCK DRAIN PER 25 LINEAL FEET OF ROCK FACE.

SPECIAL PROVISION (ROCK DRAIN)



NEW PIPE CONNECTION TO EXISTING PIPE DETAIL

STA. B 138+50.50 RT
STA. B 141+51.20 RT



NOTES:

1. THE CONTRACTOR SHOULD USE CARE IN BLASTING SOLID ROCK, SO THAT NO OVERHANGING LEDGE WILL RESULT. ANY OVERHANGING LEDGE, OUTSIDE THE NEAT LINE, SHALL BE REMOVED AT THE CONTRACTOR'S EXPENSE. ALL WORK FOR THE SATISFACTORY REMOVAL OF SOLID ROCK SHALL BE PAID UNDER ITEM 203.16.
2. TEST TRENCHES WILL BE EXCAVATED AS REQUIRED BY THE ENGINEER TO ASSURE REQUIRED RESULTS ARE BEING OBTAINED ACCORDING TO SECTION 206. TEST TRENCHES SHALL BE PAID UNDER ITEM 204.20 TRENCH EXCAVATION OF EARTH.
3. THE BOTTOM OF THE ROCK FACE SHALL BE CUT BACK TO A DISTANCE OF 33'-0" FROM THE EDGE OF PAVEMENT TO PROVIDE A CONSISTENT OFFSET FROM US ROUTE.
4. THE WIDTH OF SOLID ROCK EXCAVATION WILL VARY. SOLID ROCK EXCAVATION SHALL NOT BE LESS THAN 10'-0" FROM THE EXISTING ROCK FACE. SEE CROSS SECTIONS FOR ADDITIONAL INFORMATION.
5. THE REMOVAL OF THE EXISTING UNDERDRAIN SHALL BE CONSIDERED INCIDENTAL TO ITEM 204.20 TRENCH EXCAVATION OF EARTH.

ROCKFALL SITE TYPICAL SECTION

STA. B 138+14.50 - B 143+08.50

PROJECT NAME: KILLINGTON-WOODSTOCK
PROJECT NUMBER: ER NH 020-2(38)

FILE NAME: z13bi92+typ.dgn
PROJECT LEADER: E. ATKINS
DESIGNED BY: T. BIGELOW
RF SITE 038 TYPICAL SECTION SHEET

PLOT DATE: 3/7/2016
DRAWN BY: N.GOTTIER
CHECKED BY: E. ATKINS
SHEET 129 OF 146

NOT TO SCALE