



MAINTENANCE OF STREAM FLOW DURING PARTIAL CHANNEL RECONSTRUCTION




MAINTENANCE OF STREAM FLOW DURING FULL CHANNEL RECONSTRUCTION PHASE I



MAINTENANCE OF STREAM FLOW DURING FULL CHANNEL RECONSTRUCTION PHASE II

- NOTES:
1. THE CONTRACTOR SHALL AT ALL TIMES MAKE A REASONABLE AND CONCERTED EFFORT TO ISOLATE THE WORK AREA FROM THE FLOWING WATER IN ORDER TO MINIMIZE THE DISCHARGE OF TURBID WATER. THIS MAY BE ACCOMPLISHED BY USE OF TEMPORARY BERMS IN THE STREAM (AS SHOWN ON THE CHANNEL SECTIONS ON THIS SHEET), OR OTHER MEASURES PROPOSED BY THE CONTRACTOR AND APPROVED BY THE AGENCY OF NATURAL RESOURCES STREAM ALTERATION ENGINEER AND THEN BY THE ENGINEER.
 2. WORK SHALL BE COMPLETED IN LOW-FLOW CONDITIONS.
 3. THESE CHANNEL SECTIONS SHOW ONE METHOD THE CONTRACTOR COULD USE FOR ISOLATING THE WORK AREA FROM THE FLOWING WATER. IF THE CONTRACTOR ELECTS TO USE AN ALTERNATE METHOD THE CONTRACTOR SHALL SUBMIT PLANS SHOWING THE ALTERNATE 30 DAYS IN ADVANCE OF BEGINNING OF WORK TO THE AGENCY OF NATURAL RESOURCES STREAM ALTERATION ENGINEER AND THEN THE ENGINEER FOR REVIEW AND APPROVAL.
 4. PAYMENT FOR ISOLATING STREAM FLOW FROM WORK ZONE WILL BE PAID FOR UNDER ITEM 900.645 SPECIAL PROVISION (TEMPORARY RELOCATION OF STREAM).



TYLIN INTERNATIONAL

PROJECT NAME: WOODSTOCK
PROJECT NUMBER: ER 024I(40)

FILE NAME: z13c014de+all2.dgn
PROJECT LEADER: D. BRYANT
DESIGNED BY: T. KELLEY
DETAIL SHEET 2

PLOT DATE: 2/4/2015
DRAWN BY: T. KELLEY
CHECKED BY: D. BRYANT
SHEET 6 OF 27