


SIDEWALK JOINT NOTES:


1. EXISTING EXPANSION JOINT MATERIAL AND HARDWARE TO BE REMOVED. CUT-OFF ANCHOR BOLTS FLUSH WITH CONCRETE SURFACE.
2. THE NEW JOINT WILL BE A "SILICONE SEALANT WITH BACKER ROD."
3. THE SILICONE SEALANT THICKNESS AND WIDTH OF JOINT OPENING SHALL BE AS RECOMMENDED BY SILICONE SEALANT SUPPLIER. THE JOINT SHALL BE INSTALLED AS RECOMMENDED BY SEALANT SUPPLIER.
4. THE LIMITS OF "SILICONE SEALANT WITH BACKER ROD" SHALL BE 5 INCHES DOWN THE FASCIA FROM THE TOP, ACROSS THE TOP OF SIDEWALK AND DOWN THE CURB SIDE OF SIDEWALK TO TOP OF CONCRETE DECK. (SEE DETAIL THIS SHEET)
5. NEW SIDEWALK EXPANSION JOINTS SHALL BE PAID FOR UNDER ITEM 900.640 "SPECIAL PROVISION (SIDEWALK EXPANSION JOINT)".

BRIDGE EXPANSION JOINT NOTES:

1. EXISTING EXPANSION JOINT MATERIAL AND HARDWARE TO BE REMOVED. CUT-OFF ANCHOR BOLTS FLUSH WITH CONCRETE SURFACE.
2. NEW BRIDGE EXPANSION JOINTS SHALL BE PAID FOR UNDER ITEM 516.10 BRIDGE EXPANSION JOINT, ASPHALTIC PLUG.



SIDEWALK JOINT  
PLAN VIEW



SILICONE SEALANT WITH BACKER ROD  
DETAIL  
NOT TO SCALE



PROJECT NAME: LYNDON  
PROJECT NUMBER: BF MEMB(39)

FILE NAME: z13c122detail.dgn  
PROJECT LEADER: G. BOGUE  
DESIGNED BY: D. DEBAIE  
SIDEWALK JOINT DETAILS

PLOT DATE: 5/22/2014  
DRAWN BY: P. ARMATA  
CHECKED BY: D. DEBAIE  
SHEET II OF 28