


COLD PLANE TYPICAL SECTION
VT. ROUTE 73 ROCHESTER STA R 258+13.92 TO STA R 460+77.68



COLD PLANE TYPICAL SECTION - BANKED SECTION
VT. ROUTE 73 ROCHESTER STA R 258+13.92 TO STA R 460+77.68

- ITEM 900.675 SPECIAL PROVISION (PAVER PLACED SURFACE TREATMENT, TYPE C) (PG 58-28) (3/4" +/- 1/8" LT)
- ITEM 210.10 COLD PLANING, BITUMINOUS PAVEMENT

- NOTES:**
1. SEE SUPERELEVATION DIAGRAMS FOR CROSS SLOPES.
 2. A 3'-7" OF BACKING IS REQUIRED BEHIND THE FACE OF GUARDRAIL WITH 6'-0" POSTS. IF THIS CANNOT BE OBTAINED, 8'-0" POST SHALL BE USED.
 3. SEE THE HIGHWAY SAFETY AND DESIGN DETAIL HSD-400.01.

VAOT RURAL AREA MIX					
WEIGHT	BROADCAST	HYDROSEED	NAME	LATIN NAME	GERM PURITY
37.5%	22.5	45	CREeping RED FESCUE	FESTUCA RUBRA VAR. RUBRA	85% 98%
37.5%	22.5	45	TALL FESCUE	FESTUCA ARUNDINACEA	90% 95%
5.0%	3	6	RED TOP	AGROSTIS GIGANTEA	90% 95%
15.0%	9	18	WHITE FEILD CLOVER	TRIFOLIUM REPENS	85% 98%
5.0%	3	6	ANNUAL RYE GRASS	LOLIUM MULTIFLORUM	85% 95%
100%	60	120			

GENERAL AMENDMENT GUIDANCE		
FERTILIZER	LIME	
10/20/10	AG LIME	PELLITIZED
500 LBS/AC	2 TONS/AC	1 TONS/AC

CONSTRUCTION GUIDANCE

1. SEED MIX: THE CONTRACTOR SHALL COORDINATE WITH THE ENGINEER ON WHICH SEED MIX TO USE.
2. SEED MIX: USE AS INDICATED IN THE PLANS AND/OR FOR ALL ESTABLISHED UPLAND (NON WETLAND) AREAS DISTURBED BY THE CONTRACTOR.
3. ALL SEED MIXTURES: SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY WEIGHT AND SHALL BE FREE OF ALL NOXIOUS SEED.
4. FERTILIZER AND LIMESTONE: SHALL FOLLOW RATES SHOWN ON PLAN OR AS DIRECTED BY THE ENGINEER.
5. HAY MULCH: TO BE PLACED ON EARTH SLOPES AT THE RATE OF 2 TONS/ACRE, ACHIEVE 90% GROUND COVER OR AS DIRECTED BY THE ENGINEER.
6. HYDROSEEDING: ALTHOUGH GUIDANCE IS GIVEN ABOVE THE SITE CONDITIONS AND THE TYPE OF HYDROSEED PROPOSED FOR USE WILL ULTIMATELY DICTATE THE AMOUNTS AND TYPES OF SOIL AMENDMENTS TO BE APPLIED.
7. TURF ESTABLISHMENT: PLACING SEED, FERTILIZER, LIME AND MULCH PRIOR TO SEPTEMBER 15 AND AFTER APRIL 15 CAN BETTER ENSURE A VIGOROUS GROWTH OF GRASS.



PROJECT NAME: ROCHESTER	PLOT DATE: 1/11/2017
PROJECT NUMBER: ER STP 0162(21)	DRAWN BY: J. HEALD
FILE NAME: z13cl76typ02.dgn	CHECKED BY: J. SHIELDS
PROJECT LEADER: D. GOZALKOWSKI	SHEET 7 OF 360
DESIGNED BY: J. OLSEN	
TYPICAL SHEET #2	