

EXISTING GUARDRAIL INVENTORY									PROTECTION PLAN	
BEGIN STA.	END STA.	OFFSET	LENGTH (LF)	RETAIN/REPLACE (Y/N)	APPROX OFFSET DISTANCE FROM PROPOSED CENTERLINE TO FACE	HAZARD TYPE	EXISTING RAIL TYPE (POST- BARRIER)	ASSESSED CONDITION (GOOD/FAIR/ POOR)	CONSTRUCTION CONDITION	900.640 BARRIER FOR TEMPORARY TRAFFIC PROTECTION (LF)
Roxbury Route 12A										
151+71.0	152+27.0	LT	56	Y	14-10.6	BR#21/RIVER/RR	STEEL-W BEAM	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	600
151+09.0	156+59.0	RT	550	Y	14-10.6	BR#21/RIVER	STEEL-W BEAM	POOR	REMOVE AND RESET OR PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	250
171+12.4	173+79.9	RT	268	Y	14.0	BR#22	STEEL-W BEAM	NEW	REMOVE AND RESET OR PROVIDE TEMPORARY BARRIER, RESET AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	37.5 270
172+43.0	177+33.8	LT	491	Y	14.0	BR#22/SLOPE	STEEL-W BEAM	NEW	REMOVE AND RESET OR PROVIDE TEMPORARY BARRIER, RESET AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	500
183+28.0	190+06.0	RT	678	Y	14.0	BR#23/SLOPE	STEEL-CABLE	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	800 250
183+91.0	189+73.0	LT	582	Y	14.0	BR#23/SLOPE	STEEL-CABLE	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	662.5 660
206+82.0	207+39.0	LT	57	Y	14.0	BR#25/SLOPE	STEEL-CABLE	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	350 270
206+96.0	207+40.0	RT	44	Y	14.0	BR#25/SLOPE	STEEL-CABLE	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	125 140
230+21.0	231+21.0	RT	100	Y	14.0	BR#26	STEEL-W BEAM	FAIR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	260
230+07.0	231+07.0	LT	100	Y	14.0	BR#26	STEEL-W BEAM	FAIR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER COLD MIX LIFT OR TYPE IVS LEVELING LIFT IS COMPLETE.	200
292+97.0	295+84.5	RT	288	Y	14.0	BR#27/RIVER	STEEL-W BEAM	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER 6" SPECIAL PROVISION (RECL. STAB. BASE, EMULSION) OR TYPE IVS LEVELING LIFT IS COMPLETE.	212.5 200
293+45.0	296+20.0	LT	275	Y	14.0	BR#27/RIVER	STEEL-W BEAM	POOR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER 6" SPECIAL PROVISION (RECL. STAB. BASE, EMULSION) OR TYPE IVS LEVELING LIFT IS COMPLETE.	187.5 280
302+00.5	304+63.0	RT	263	Y	14.0	BR#28/RIVER	STEEL-W BEAM	FAIR	PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER 6" SPECIAL PROVISION (RECL. STAB. BASE, EMULSION) OR TYPE IVS LEVELING LIFT IS COMPLETE.	230
302+93.0	305+68.0	LT	275	Y	14.0	BR#28/RIVER	STEEL-W BEAM	GOOD	REMOVE AND RESET OR PROVIDE TEMPORARY BARRIER, INSTALL NEW PER LAYOUTS AFTER 6" SPECIAL PROVISION (RECL. STAB. BASE, EMULSION) OR TYPE IVS LEVELING LIFT IS COMPLETE.	230

PROJECT NAME:	ROXBURY-NORTHFIELD
PROJECT NUMBER:	ER STP 0187(13)
FILE NAME:	z13c184+yp.dgn
PROJECT LEADER:	M. FOISY
DESIGNED BY:	G. BURGMEIER
CONSTR. OPS. TRAFFIC PRO. PLAN SHT. 2	SHEET 45 OF 476
PLOT DATE:	5/25/2016
DRAWN BY:	G. BURGMEIER
CHECKED BY:	G. EDWARDS