


NOTES:

1. THE CONTRACTOR SHALL INSTALL THE 8 INCH UNDERDRAIN CARRIER PIPE AS SHOWN IN THE PLANS AND AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHALL OUTLET THE UNDERDRAIN TO THE EXISTING DITCH LOCATED SOUTHEAST OF THE GRADE CROSSING AS DIRECTED BY THE ENGINEER.
2. SEE SHEET 166 FOR PRECAST CONCRETE PANEL CROSSING DETAIL.
3. SEE SHEET 165 FOR PROPOSED SCHEMATIC OF THE CONCRETE GRADE CROSSING.
4. SEE SHEET 162 FOR LOCATION OF PROPOSED CONDUIT.
5. THE CONTRACTOR SHALL REPLACE THE BITUMINOUS CONCRETE SIDEWALK AFTER THE AT-GRADE PRECAST CONCRETE PANELS HAVE BEEN INSTALLED AS DIRECTED BY THE ENGINEER. ALL WORK ASSOCIATED WITH THE SIDEWALK WILL BE PAID FOR UNDER ITEM 490.30 SUPERPAVE BITUMINOUS CONCRETE PAVEMENT (PC 70-28)(SBS POLYMER).

**PROPOSED PLAN VIEW
AARDOT 247-723Y
MP 6.45
HIGHWAY CROSSING**



NOT TO SCALE	
PROJECT NAME:	ESSEX JUNCTION
PROJECT NUMBER:	NH 2956(2)
FILE NAME:	z15v026rrppv.dgn
PROJECT LEADER:	D.GOZALKOWSKI
DESIGNED BY:	M. MOKEY
AARDOT 247-723Y PROPOSED PLAN VIEW	
PLOT DATE:	5/2/2016
DRAWN BY:	C. KAHLBAUGH
CHECKED BY:	D. EMERICH
SHEET	164 OF 171

