



NOTE: CULVERT STATIONS ARE PERPENDICULAR TO THE BASELINE.

PLAN VIEW - FLOOR OF ENERGY DISSIPATOR
1" = 10'

STA. 388+00 ASKEW 84° 00' 00" LT.
84" DIA. PLATE PIPE PROFILE
SCALE: HORIZONTAL 1" = 10'
VERTICAL 1" = 10'

STA 4+60 LT. END TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE FABRIC FOR FILTERS, AND GRUBBING MATERIAL.

STA 4+20 LT. BEGIN TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 4+70 RT. END TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 4+50 RT. END TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 4+45 RT. BEGIN TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 4+00 RT. BEGIN TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 6+05 LT. BEGIN TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 5+85 RT. BEGIN TYPE II STONE FILL, UNCLASSIFIED CHANNEL EXCAVATION, GEOTEXTILE UNDER STONE FILL, AND GRUBBING MATERIAL.

STA 5+75 RT. BEGIN TYPE II STONE FILL.

CULVERT PROFILE & CHANNEL SECTIONS
STA. 388+00
CLARK HATCH BROOK
BRIDGE SHEET 3 OF 5 SHEET 77 OF 152.