

QUANTITY SHEET 2

SUMMARY OF ESTIMATED QUANTITIES											TOTALS		DESCRIPTIONS				DETAILED SUMMARY OF QUANTITIES			
					ROADWAY	TRAINING	EROSION CONTROL	BRIDGE	100% STP FUNDS	FULL C.E. ITEMS	GRAND TOTAL	FINAL	UNIT	ITEMS	ITEM NUMBER	ROUND	QUANTITIES	UNIT	ITEMS	
														BEGIN OPTION AA						
					40						40		LF	24" CSP .064 (2-2/3 X 1/2)	601.0025					
					40						40		LF	24" CPEP(SL)	601.2620					
														END OPTION AA						
														BEGIN OPTION BB						
					312						312		LF	18" CAAP .060 (2-2/3 X 1/2)	601.0215					
					312						312		LF	18" CPEP(SL)	601.2615					
														END OPTION BB						
														BEGIN OPTION CC						
					3						3		EACH	18" CAAPES .060 (2-2/3 X 1/2)	601.6215					
					3						3		EACH	18" CPEPES	601.7015					
														END OPTION CC						
					1						1		EACH	PRECAST REINFORCED CONCRETE DROP INLET WITH CAST IRON GRATE	604.18					
					1						1		EACH	PRECAST REINFORCED CONCRETE CATCH BASIN WITH CAST IRON GRATE	604.20					
					520						520		LF	6 INCH UNDERDRAIN PIPE	605.10	8				
					70						70		LF	6 INCH UNDERDRAIN CARRIER PIPE	605.20	3				
					3						3		EACH	UNDERDRAIN FLUSHING BASIN	605.95	-				
							225				225		MGAL	DUST CONTROL WITH WATER	609.10	EST.				
							2				2		TON	DUST AND ICE CONTROL WITH CALCIUM CHLORIDE	609.15	EST.				
					160		15				175		CY	STONE FILL, TYPE II	613.11	14				
								1600			1600		CY	STONE FILL, TYPE IV	613.13	34				
					160						160		LF	CAST-IN-PLACE CONCRETE CURB, TYPE B	616.28	-				
					12						12		EACH	STEEL MARKER POSTS	619.16	-				
					1210						1210		LF	STEEL BEAM GUARDRAIL, GALVANIZED	621.20	-				
					6						6		EACH	ANCHOR FOR STEEL BEAM RAIL	621.60	-				
					4						4		EACH	GUARDRAIL APPROACH SECTION, GALVANIZED NETC 2 RAIL	621.72	-				
					400						400		LF	REMOVAL AND DISPOSAL OF GUARDRAIL	621.80	EST.				
											1		LS	FIELD OFFICE, ENGINEERS	631.10	-				
											1		LS	TESTING EQUIPMENT, CONCRETE	631.16	-				
											1		LS	TESTING EQUIPMENT, BITUMINOUS	631.17	-				
						1040					1040		HR	EMPLOYEE TRAINEESHIP	634.10	-				
					1						1		LS	MOBILIZATION/DEMobilIZATION	635.11	-				
					4170						4170		LF	DURABLE 4 INCH WHITE LINE, THERMOPLASTIC	646.402					
					4020						4020		LF	DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC	646.412					
					28						28		LF	DURABLE 24 INCH STOP BAR, THERMOPLASTIC	646.482					
					8						8		EACH	DURABLE LETTER OR SYMBOL, THERMOPLASTIC	646.492					
							1900				1900		SY	GEOTEXTILE UNDER STONE FILL	649.31	38				
							200				200		SY	GEOTEXTILE FOR SILT FENCE	649.51					
							350				350		SY	GEOTEXTILE FOR FILTER CURTAIN	649.61					
							130				130		LB	SEED	651.15	EST.				

NOTE: THE PRECAST DROP INLET REQUIRES ONE TYPE 'E' GRATE. THE PRECAST CATCH BASIN REQUIRES TWO TYPE 'D' GRATES.