



PHASING DIAGRAM AND SPECIAL NOTES FOR EACH LOCATION

PHASE	A				B	
	1	2	3	4	5	6
INTERVAL	8	-	-	-	-	-
MINIMUM	-	-	-	-	-	-
EXTENSION	1	-	-	-	-	-
MAXIMUM	15	4	12	15	4	12
HEAD A	G	Y	R	R	R	R
HEAD B	R	R	R	G	Y	R

SIGNAL TO DWELL ON PHASE "B".

SPECIAL REQUIREMENTS

APPROACH	TEMPORARY VEHICLE DETECTOR	DILEMMA ZONE LOOP	FLASHING BEACON ON ADVANCED WARNING SIGN
A	1.30Mx12M	-	NONE
B	-	-	NONE

- LEGEND**
- TRAFFIC SIGNAL STRAIN POLE SIGN (SINGLE POST)
 - TRAFFIC SIGNAL STRAIN POLE SIGN (DOUBLE POST)
 - ▬ TYPE III BARRICADE
 - ▬ TYPE III BARRICADE, MOD.
 - ⊕ SIGNAL HEAD
 - ⊙ PHASE CONTROLLER AND CABINET
 - TDYL TEMPORARY 100 DOUBLE YELLOW LINE
 - TSB TEMPORARY 600 STOP BAR
 - TEMPORARY CONCRETE BARRIER

ITEMS INCIDENTAL TO 64110 TRAFFIC CONTROL

UNIFORMED TRAFFIC OFFICER/FLAGGER	400 HOURS
TRAFFIC SIGNS, TYPE A	29.2 SM
FLANGED CHANNEL POST	216 M
TEMPORARY TRAFFIC BARRIER	36 M
TEMPORARY TRAFFIC SIGNAL SYSTEM	1 EACH
TEMPORARY DETECTOR	1 EACH
TYPE III BARRICADE	4 EACH
TYPE III BARRICADE (MOD.)	6 EACH

ALL QUANTITIES ARE APPROXIMATE.

TEMPORARY DETOUR TRAFFIC CONTROL PLAN

PROJECT NAME: POWNAL
 PROJECT NUMBER: STP RS 0107(8)

FILE NAME: /84c028/str/sc028trf.dgn
 PROJECT LEADER: W. SYMONDS
 DESIGNED BY: B. NYQUIST
 sc028trf.i

PLOT DATE: 10-MAY-2007
 DRAWN BY: G. SHANGRAW
 CHECKED BY: T. SUMNER
 SHEET 19 OF 65

SEE SHEET 40 FOR ADDITIONAL NOTES.

