

**THE AREA AROUND THE MEDIUM MAPLE TREE SHALL NOT HAVE ANY MACHINERY OR MATERIALS WITHIN THE FENCED AREA FOR ROOT PROTECTION.**

**NOTE:**  
IF THE PERMANENT STONE FILL TYPE III IS NOT IN PLACE WHEN THE CROSSPIPE AT STATION 0+785 IS INSTALLED, A STONE FILL PAD MUST BE INSTALLED AT THE OUTLET.


**NOTE: THE SOILS IN THE ENTIRE PROJECT AREA ARE CLASSIFIED AS "COPAKE" SOILS. THEY ARE A GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES. THE SOILS ARE HIGHLY ERODIBLE.**

**LEGEND**

PDF — PDF — PDF	PROJECT DEFINITION FENCE
▽ — ○ — ▽	CUT-FILL SLOPE LIMITS
▬ ▬ ▬	CHECK DAMS
□	DROP INLET PROTECTION
□ — □	SILT FENCE
▬ ▬ ▬	EROSION MATTING

**EPSC DURING CONSTRUCTION #1**

PROJECT: POWNAL	PROJECT NO.: STP RS 0107(8)
DESIGN FILE NAME: /84c028/str/sc028ecbdr.dgn	PLOT DATE: 10-MAY-2007
IPARM FILE NAME: sc028ecduring01.i	SURVEY DATE: 09-22-1998
SURVEYED BY: L. ORVIS	DRAWN BY: G. SHANGRAW
SQUAD LEADER: W. SYMONDS	SHEET: 29 OF 65
sc028ecduring01	



Parking Lot


NOTE:

IF THE PERMANENT STONE FILL TYPE III IS NOT IN PLACE WHEN THE CROSSPIPE AT STATION 0+785 IS INSTALLED, A STONE FILL PAD MUST BE INSTALLED AT THE OUTLET.

NOTE: THE SOILS IN THE ENTIRE PROJECT AREA ARE CLASSIFIED AS "COPAKE" SOILS. THEY ARE A GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES. THE SOILS ARE HIGHLY ERODIBLE.

EPSC DURING CONSTRUCTION #1

PROJECT: POWNAL	PROJECT NO.: STP RS 0107(8)
DESIGN FILE NAME: /84c028/str/sc028ecbdr.dgn	PLOT DATE: 10-MAY-2007
IPARM FILE NAME: sc028ecduring01.i	SURVEY DATE: 09-22-1998
SURVEYED BY: L. ORVIS	DRAWN BY: G. SHANGRAW
SQUAD LEADER: W. SYMONDS	SHEET: 29 OF 65
sc028ecduring01	



Parking Lot