

WELDING PROCEDURE SPECIFICATION

Material Specification PQR ELDERLEE #4
 A36/A572 GR. 36 / 50 / A709 GR. 36 / 50
 Welding Process GMAW
 Manual or Machine SEMAUTOMATIC ROBOTIC
 Position of Welding FLAT
 Filler Metal Specification A5.18
 Filler Metal Classification L-56 ER70S-6 LINCOLN
 Flux N/A
 Shielding Gas 90% ARGON / 10% CO2 Dew Point -40DEG F Flow Rate 45CFH
 Single or Multiple Pass SINGLE
 Single or Multiple Arc SINGLE
 Welding Current DC
 Polarity REVERSE ELECTRODE POSITIVE CTWD 3/4"
 Welding Progression STRINGER
 Root Treatment ROOT SHALL BE CLEAN AND FREE OF FOREIGN MATTER
 Preheat and Interpass Temperature MIN PREHEAT 50 DEG ≤ 0.75" 70 DEG > 0.75" MAX INTERPASS 400 DEG
 Postheat Temperature NONE
 Heat Input Min 10.56 Max 15.84

WELDING PROCEDURE

Pass no.	Electrode size	Welding Current		Travel speed	Joint detail
		Amperes	Volts		
1	.045	190	22	19	
		171	20	18	
		TO	TO	TO	
		200	23	21	

This procedure may vary due to fabrication sequence, fit-up, pass size, etc., within the limitation of variables given in Section 5.

Procedure No. 8001 Contractor Elderlee, Inc.
 Revision No. 1 Authorized By RANDY SCOTT
 Date 2/7/2017

SHOP DRAWING REVIEW

REVIEWED AS REQUIRED BY THE CONSTRUCTION CONTRACT DOCUMENTS AND APPROVED, BUT ONLY FOR CONFORMANCE TO THE DESIGN CONCEPT OF THE WORK, AND SUBJECT TO FURTHER LIMITATIONS AND REQUIREMENTS CONTAINED IN THE CONSTRUCTION CONTRACT DOCUMENTS.
 REJECTED REVISE AND RESUBMIT APPROVED AS NOTED

CORRECTIONS OR COMMENTS MADE ON THE SHOP DRAWINGS DURING THIS REVIEW DO NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. THIS CHECK IS ONLY FOR REVIEW OF GENERAL CONFORMANCE WITH THE DESIGN CONCEPT OF THE PROJECT AND GENERAL COMPLIANCE WITH THE INFORMATION GIVEN IN THE CONTRACT DOCUMENTS. THE CONTRACTOR IS RESPONSIBLE FOR: CONFIRMING AND CORRELATING ALL QUANTITIES AND DIMENSIONS; SELECTING FABRICATION PROCESSES AND TECHNIQUES OF CONSTRUCTION; COORDINATING THEIR WORK WITH THAT OF ALL OTHER TRADES; AND PERFORMING THEIR WORK IN A SAFE AND SATISFACTORY MANNER.

CLD Consulting Engineers
 640 Commercial Street
 Manchester, NH 03101
 603-688-8223

Job Number: 140116
 Reviewed by: S. Beaumont
 Date: 02/27/2017

Vermont Agency of Transportation
RECEIVED

CK'D BY CLD/Ryan OK'D BY WPELLETIER
February 27, 2017

RESUBMIT **Approved AsNoted**
 BY WPELLETIER DATE 03/02/2017