SOIL INFORMATION

HiE: HARTLAND VERY FINE SANDY LOAM, 25–60% SLOPES
HYDRIC SOIL GROUP B
DEPTH TO BED ROCK: 60'
DEPTH TO WATER TABLE: 6'
HIGHLY ERODIBLE LAND
K FACTOR = 0.49

SOIL INFORMATION

Fu: FILL LAND
HYDRIC SOIL GROUP (NOT RATED)
DEPTH TO BED ROCK: 60'
DEPTH TO WATER TABLE: 6'
ERODIBILITY (NOT RATED)
K FACTOR = N/A

NOTES:

1. REFER TO THE CROSS SECTIONS FOR THE GRADE OF THE EXISTING AND PROPOSED CONDITIONS.
2. SOIL PROPERTIES AND BOUNDARIES WERE APPROXIMATED BASED ON USDA SOIL SURVEY. ACTUAL FIELD SURVEY MAY VARY.

VIEW: CS3

DATUM

VERTICAL: NGVD 1929
HORIZONTAL: N/A

EXISTING CONDITIONS SITE PLAN 3

SURVEYED BY: CLD	DATE: 7/89
DRAWN BY: TUS	DATE: 10/93
SQUAD LEADER: JAW	
DESIGN FILE NO.: 89-108	
IPARM FILE:	DATE PLOTTED:
PROJECT NAME: BURLINGTON	
PROJECT NUMBER: MEGC 5000(15)	
SHEET 71G OF 252 SHEETS	