



CURVE DATA

Δ = 20° 17' 25" LT.
D = 6° 00'
R = 954.93
T = 170.88
L = 338.17
E = 15.17

- CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I
 - 19+00 RT - 19+50 RT
 - 21+46 LT - 21+75 LT
 - 23+50 RT - 25+00 RT
- STEEL BEAM GUARDRAIL
 - 6+75 RT - 30+75 RT
 - 19+50 LT (RAMP 'M' RT) - 35+50 LT
- ANCHOR FOR STEEL BEAM GUARDRAIL
 - 19+50 LT (RAMP 'M' RT)
- REMOVE AND RESET EXISTING CURB
 - 17+05 LT - 18+80 LT
 - 19+25 LT - 20+62 LT
- REMOVE EXISTING GUARDRAIL
 - 12+15 RT - 26+00 RT
 - RAMP 'M' 19+50 LT - 22+45
- COLD PLANING-BIT. PAVEMENT
 - 0+00 - 47+50
- TREATED TIMBER CURB
 - 7+00 RT - 19+50 RT
 - RAMP 'M' 20+45 LT - ML 24+00
- REMOVAL OF EXIST. CURB
 - RAMP 'B' 19+80 LT - ML 22+20 LT

- DRAINAGE NOTES**
- 25 18+42 - 19+50 RT NEW 18" X 158' RCP CL III
 - 26 19+50 RT NEW 18" X 12' RCP CL III W/RCDI AT INLET AND STONE FILL PAD TYPE I AT OUTLET
 - 27 18+55 LT NEW 18" X 6' CSP (.064) W/RCDI, CONNECT TO EXIST. DI, CAP EXIST. DI, AND PAVED GUTTER
 - 28 19+50 LT RAISE EXIST. DI
 - 29 20+25 - 21+75 LT NEW 18" X 150' RCP CL III; W/PAVED GUTTER AND MES AT INLET
 - 30 20+77 LT - 21+30 LT REMOVE EXIST. PIPE, REMOVE DI'S
 - 31 21+30 LT ABANDON AND PLUG EXIST. PIPE

- DRAINAGE NOTES**
- 32 21+46 - 21+75 LT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I
 - 33 21+75 LT NEW 18" X 44' RCP CL III W/RCDI AT INLET AND CONCRETE HEADWALL AT OUTLET
 - 34 21+46 RT NEW 60" X 12' CSP (.079) W/HEADWALL AT INLET; REMOVE EXIST. HEADWALL NEW 60" X 16' CSP (.079) W/HEADWALL AT OUTLET; REMOVE EXIST. HEADWALL
 - 34A 21+20 RT - 21+46 RT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE II
 - 35 24+00 LT NEW 18" X 16' RCP CL III, W/RCDI AT INLET
 - 36 23+50 - 25+00 RT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I

DATUM
 VERTICAL NGVD 1929
 HORIZONTAL N/A



THIS SHEET FOR R.O.V. USE ONLY

SURVEYED BY Fall DATE 5-90
 DRAWN BY Squade-jfg DATE 6-90
 SQUAD LEADER D.F.Hale
 FILE usr/z/a2/055050.dwg/89b018
 IPARM 89B018L4.1 DATE 30-DEC-1992
 PROJ. NAME MONTPELIER
 PROJ. NO. FECC-F 028-21815
 SHEET 7 OF 15 SHEETS