



CONSTRUCT SPECIAL DITCH W/EROSION MATTING  
27+31 LT - 36+50 LT

STEEL BEAM GUARDRAIL  
6+75 RT - 30+75 RT  
19+50 LT (RAMP 'M' RT) - 35+50 LT  
BREAKAWAY CABLE TERMINAL (BCT)  
35+50 LT - 35+75 LT  
ANCHOR FOR STEEL BEAM GUARDRAIL  
30+75 RT  
COLD PLANING-BIT, PAVEMENT  
0+00 - 47+50

REMOVE & RESET CURB  
31+50 RT - 32+00 RT  
REMOVE EXIST. CURB  
32+90 LT - 37+90 LT  
REMOVE EXIST. GUARDRAIL  
28+80 LT - 32+70 LT

PI 33+59.44 =  
33+58.32

CURVE DATA  
Δ = 13° 00' 00" RT  
D = 5° 00' 00"  
R = 1145.92  
T = 130.56  
L = 260.00  
E = 7.41

BM #4  
CH. SQ. AT TOP OF  
L-TYPE HEADWALL  
US. ELEV 524.67

DRAINAGE NOTES

- ④ 30+50 LT. - NEW 6" X 350' UNDERDRAIN W/ FB AT 29+50 LT.
- ④ 34+93 LT NEW 18" X 4' CSP (064), W/RCDI AT INLET, CAP EXIST. DI

THIS SHEET  
FOR ROW.  
USE ONLY

DATUM  
VERTICAL NGVD 1929  
HORIZONTAL N/A



03-10-95	REVISION 2
05-26-93	REVISION 1
SURVEYED BY	Fall DATE 5-90
DRAWN BY	Squade-Jfg DATE 6-90
SQUAD LEADER	D.F.Hale
FILE	Ubr/zfq2/055050.dir/89b018
PARM	89B018L6.I DATE PLOTTED 30-DEC-1992
PROJ. NAME	MONTPELIER
PROJ. NO.	FECC-F 028-2(8)S
SHEET	9 OF 15 SHEETS

PLAN SHEET 19 OF 18