



REINFORCING STEEL				
Bars	Size	No. Req'd	Tot. Lnth.	Detail
A2	1 1/4"	6	40'-6"	12'-5" 37'-0" R-5
B2	1 1/4"	4	35'-0"	Straight
C2	5/8"	27	9'-10"	8" 2'-11" 1'-8" 1'-6" 1'-6"
D2	1"	16	11'-0"	Straight
E2	1 1/8"	20	14'-4"	13'-0" R-5
F2	1/2"	20	15'-0"	Straight-Bend in field
H2	3/4"	12	6'-6"	Straight-Bend in field
G2	1"	34	9'-6"	R-5 (S) 6'-0" 10'-3"
J2	1"	30	10'-6"	J= 7'-0"

DETAILS - ABUTMENT NO. 2
 FAYSTON
 PWA - Doc. No. VT 1092-89

ESTIMATED QUANTITIES

Structure Excav.	60 cy	
Channel Excav.	120 cy	
Concrete Class A	(28) cy	21
Reinforcing Steel	(206) LF	6375
Timber Piling	300 LF	
Heavy Stone Fill (Item 69A)	200 cy	out

Surveyed by
 Designed by H.G.H.
 Drawn by H.G.H.
 Traced by H.W.S.
 Checked by DRB
 Series PWA Doc. No. VT 1092-89 Filed
 Sheet 4 of 17 Sheets