



REINFORCING STEEL				
MARK	REQD	SIZE	TOTAL LGTH	SHAPE
A	4	1/2" #	45'-4"	
B	4	1" #	39'-0"	STRAIGHT
C	20	1/2" #	10'-9"	
D	21	1/2" #	9'-3"	
E	11	1/2" #	6'-0"	STRAIGHT
F	12	1" #	10'-0"	STRAIGHT
G	14	1" #	180'-0" FOR 14 BARS	VARY IN LGTH FROM 8'-0" TO 12'-0"

NOTE: BAR DIMENSIONS GIVEN TO # BARS



DETAILS OF ABUT. #2
 WOODSTOCK
 MARBLE BRIDGE
 P.W.A. DOCKET VT. 1049F
 SA 42-37
 SCALE 3/8 inch = 1 foot

ESTIMATED QUANTITIES

STRUCTURE EXCAVATION	82 C.Y.
CHANNEL EXCAVATION	239 C.Y.
CONCRETE CLASS "A"	126 C.Y.
REINFORCING STEEL	2924 LB.
RIP RAP FOR BANK PROTEC. (HEAVY TYPE)	125 C.Y.

Surveyed by	J.G.G.	Filed
Designed by	J.G.G.	SA 42-37
Drawn by	J.G.G. 7-18-38	Sheet 4 of 4
Traced by	D.W.P.	
Checked by	H.G.H.	

EXISTING PLANS ON THIS SHEET ORIENT THE BRIDGE WITH POSITIVE STATIONING EAST TO WEST. THIS SHEET REPRESENTS THE OLD ABUTMENT #2 DETAILS (WEST ABUTMENT) WHICH IS THE NEW ABUTMENT #1 ON THE 2006 PLANS.

VHB Vanasse Hangen Brustlin, Inc.

PROJECT NAME WOODSTOCK
 PROJECT NO. BHF 020-2 (32)
 SHEET 55 OF 71