


COLD PLANED TYPICAL SECTION - CURBED
STA 0+00 TO 5+85



COLD PLANED TYPICAL SECTION - WITHOUT CURB
STA 5+85 TO 27+46

NOTES

1. THE PAVEMENT WEARING COURSE SHALL BE TYPE III, ITEM 406.27.
2. THE LEVELING COURSE SHALL BE TYPE III OR TYPE IV, ITEM 406.27 AS DIRECTED BY THE ENGINEER.
3. EMULSIFIED ASPHALT, TO BE APPLIED ON EXISTING PAVEMENT, BETWEEN ALL COURSES OF PAVEMENT AND ON COLD PLANED AREAS AT THE RATE OF 0.015 GAL./SQ. YD. OR AS DIRECTED BY THE ENGINEER.
4. BITUMINOUS CONCRETE PAVEMENT TOLERANCE = $\pm \frac{1}{4}$ " (FOR THICKNESS EXCLUDING LEVELING)
5. COLD PLANING TO BE COMPLETED ACCORDING TO TYPICAL OR AS NOTED OTHERWISE ON THE PLANS. A FULL DEPTH BUTT JOINT SHALL BE CONSTRUCTED AT THE BEGIN/END OF THE PROJECT AND AT ALL SIDE ROADS. SEE LAYOUT SHEETS FOR LOCATIONS.
6. ITEM 604.40, 604.412, 604.415, & 604.418 ARE ESTIMATED QUANTITIES AND SHALL BE PERFORMED AS DIRECTED BY THE RESIDENT ENGINEER.

URBAN AREA - SEED MIXTURE

% WT.	LBS./ACRE	NAME	PUR%	GERM%
42.5	34.0	CREeping RED FESCUE	98	85
10.0	8.0	PERENNIAL RYE GRASS	95	90
42.5	34.0	KENTUCKY BLUE GRASS	85	85
5.0	4.0	ANNUAL RYEGRASS	95	85
100.0	80.0			

SEED MIXTURE:
SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY WEIGHT AND SHALL BE FREE OF ALL NOXIOUS SEED.

SEED:
TO BE APPLIED PER SEEDING FORMULAS OR AS DIRECTED BY THE ENGINEER.

FERTILIZER:
FORMULA 10-20-10, TO BE USED WITH SEED, APPLIED AT THE RATE OF 500 LBS./ACRE. (HYDRO SEEDERS MAY USE 19-19-19 FORMULA)

AGRICULTURAL LIMESTONE:
TO BE APPLIED AT THE RATE OF 2 TONS/ACRE, OR AS DIRECTED BY THE ENGINEER.

HAY MULCH:
TO BE PLACED ON EARTH SLOPES AT THE RATE OF 2 TONS/ACRE, OR AS DIRECTED BY THE ENGINEER.

TOPSOIL:
TO BE USED AS INDICATED ON THE PLANS, OR AS DIRECTED BY THE ENGINEER.

MARKER POSTS:
TO BE PLACED AS INDICATED OR AS DIRECTED BY THE ENGINEER.

NEW POSTS WILL BE A DELINEATOR POST WITHOUT THE REFLECTOR UNIT.

PROJECT PAVING LIMITS

TOWN & ROUTE	BEGIN STATION	END STATION	LANE TYPICAL	WEARING DEPTH	LEVELING TONS/MILE	NOTES
DERBY - ALT ROUTE 5	0+00	5+85	VARIABLES - SEE LAYOUT SHEETS	1 1/2"	591	
DERBY - ALT ROUTE 5	5+85	22+00	0-11-11-0	1 1/2"	500	PAVE DRIVEWAYS TO THE EDGE OF SIDEWALK (SEE LAYOUT SHEETS)
DERBY - ALT ROUTE 5	22+00	27+46	VARIABLES - SEE LAYOUT SHEETS	1 1/2"	820	

revised lsw 06/26/96

PROJECT TYPICAL SHEET	DESIGNED BY	BCE/MJM	DATE	1-96
	DRAWN BY	C.E.A., INC.	DATE	1-96
	DESIGN FILE NO.	/pave/95c054/pc054.dgn		
	IPATH FILE	pc054ty.i	DATE PLOTTED	26-JUN-1996
	PROJ. NAME	DERBY LINE		
PROJ. NO.	STP 9620(1)S			
SHEET 2 OF 12 SHEETS				