



SEE STD. E-153M FOR COLORS AND MATERIALS


SIGN	DIMENSIONS (MILLIMETERS)										
	A	B	C	D	E	F	G	H	I	J	K
SIZE	750	150D	100	350	370	130	135	25	20	15	50

TEXT LAYOUT DIMENSIONS ARE BASED ON THE "LETTER & NUMERAL WIDTHS AND SPACE" TABLES FOUND IN THE "STANDARD HIGHWAY SIGNS" BOOKLET. MINOR VARIATIONS IN TEXT DIMENSIONS ARE ACCEPTABLE BASED ON INDIVIDUAL MANUFACTURER'S LETTER FABRICATION. SIGNIFICANT CHANGES WHICH AFFECT SIGN APPEARANCE SHALL BE BROUGHT TO THE ATTENTION OF THE VAOT'S TRAFFIC AND SAFETY DIVISION BEFORE FABRICATION.



**DETAIL FOR BURIED GUARD RAIL ENDS INTO BACKSLOPES**

1. HEIGHT OF PRIMARY RAIL SHALL REMAIN AT A CONSTANT HEIGHT RELATIVE TO ROADWAY GRADE TO POINT OF DITCH BOTTOM.
2. ADDITION OF RUB RAIL IS REQUIRED WHEN OPENING BENEATH PRIMARY RAIL EXCEEDS 457 mm. RUB RAIL EXTENDS FROM THE EDGE OF SHOULDER TO THE BACK SLOPE.



**SECTION B-B**

**ARCHIVED  
IN DPR**

NOTE: ALL DIMENSIONS IN MILLIMETERS EXCEPT AS INDICATED

DATUM \_\_\_\_\_  
VERTICAL \_\_\_\_\_  
HORIZONTAL \_\_\_\_\_

NOT TO SCALE

**MISCELLANEOUS  
DETAIL  
SHEET**

PROJECT: CAVENDISH - WEATHERSFIELD	PROJECT NO.: STP 9661(1)S
DESIGN FILE NAME: /pave/95cl34/pol34.dgn	PLOT DATE: 27-JAN-2006
IPARM FILE NAME: pol34mdl.i	SURVEY DATE: 06/97
SURVEYED BY: CLD Inc.	DRAWN BY: JPC
SQUAD LEADER: JAW	SHEET: 29 OF 32