

LIGHTING ITEMS

ITEM 678.21 - ELECTRICAL CONDUIT (2" PVC SCHEDULE 40)

273+00 LT. - 274+62 LT. (L-49), 162 LF
 273+00 RT. - 274+55 RT. (L-5), 155 LF
 274+55 RT. (L-5) - 277+30 RT. (L-6), 275 LF
 274+62 LT. (L-49) - 277+46 LT. (L-50), 283 LF
 277+30 RT. (L-6) - 279+00 RT., 170 LF
 277+46 LT. (L-50) - 279+00 LT., 154 LF

ITEM 678.26 - JUNCTION BOX

274+55, 31' RT. (L-5)
 274+62, 52' LT. (L-49)
 277+30, 31' RT. (L-6)
 277+46, 52' LT. (L-50)

ITEM 678.30 - ELECTRICAL CONDUIT SLEEVE

276+59 RT. - 276+95 RT., 36 LF (8")
 278+67 RT. - 278+93 RT., 26 LF (8")



INTERCONNECT ITEMS

ITEM 678.21 - ELECTRICAL CONDUIT (3" PVC SCHEDULE 40)

273+00 RT. - 274+50 RT. (I-5), 150 LF
 274+50 RT. (I-5) - 277+25 RT. (I-6), 275 LF
 277+25 RT. (I-6) - 279+00 RT., 175 LF

ITEM 678.26 - JUNCTION BOX

274+50, 32' RT. (I-5)
 277+25, 31' RT. (I-6)




LEGEND	
	STREET LIGHT POLE
	UTILITY POLE
	LUMINAIRE
	STRAIN POLE W/ MAST ARM
	PEDESTRIAN POLE
	PULL BOX OR JUNCTION BOX
	SIGNAL CONDUIT
	INTERCONNECT CABLE CONDUIT
	LIGHTING CONDUIT
	SLEEVE
	POWER DROP STANCHION
	L-1 = ONE LEG OF THREE WIRE CIRCUIT
	S10 = LIGHT POLE NUMBER (SHELBURNE)
	V10 = LIGHT POLE NUMBER (VAOT)
	C10 = LIGHT POLE NUMBER (CANTILEVER - VAOT)
	PB S-1 = SIGNAL PULLBOX NUMBER
	JB I-1 = INTERCONNECT JUNCTION BOX NUMBER
	JB L-1 = LIGHTING JUNCTION BOX NUMBER
	PB P-1 = POWER SOURCE PULLBOX NUMBER

ABBREVIATIONS	
C.	= CONDUIT
CU.	= COPPER
GRD.	= GROUND

NOTE:
 SEE SIGNAL DRAWINGS NO'S. 1 THROUGH 14 FOR SIGNAL CONDUITS, PULLBOXES, WIRING, POLES AND SLEEVES.
 SEE TYPICAL SECTION DRAWING NO. 7 FOR TYPICAL CONDUIT PLACEMENT DETAIL.
 INTERCONNECT ITEMS BETWEEN STA. 265+75 AND STA. 323+50 ARE FOR FUTURE INTERCONNECT SYSTEM.

DATUM
 VERTICAL NOV 1929
 HORIZONTAL NAD 1927



SHELBURNE
 SURVEYED BY V.S.C. INC. DATE _____
 DRAWN BY E.A.A. INC. DATE _____
 TRACED BY E.A.A. INC. DATE _____
 PROJECT NH-EGC-019-4(27)
 LIGHTING DRAWING NO. 4
 SHEET NO. 243 OF 537