

LIGHTING ITEMS

ITEM 678.21 - ELECTRICAL CONDUIT (2" PVC SCHEDULE 40)

315+00 LT. - 316+65 LT. (L-63), 165 LF
 315+00 RT. - 316+70 RT. (L-21), 173 LF
 316+65 LT. (L-63) - 319+42 LT. (L-64), 277 LF
 316+70 RT. (L-21) - 319+45 RT. (L-22), 281 LF
 319+42 LT. (L-64) - 321+00 LT., 158 LF
 319+45 RT. (L-22) - 321+00 RT., 158 LF

ITEM 678.26 - JUNCTION BOX

316+65, 41' LT. (L-63)
 316+70, 40' RT. (L-21)
 319+42, 41' LT. (L-64)
 319+45, 40' RT. (L-22)

ITEM 678.30 - ELECTRICAL CONDUIT SLEEVE

317+51 LT. - 317+77 LT., 26 LF (8")
 318+77 LT. - 319+03 LT., 26 LF (8")



INTERCONNECT ITEMS

ITEM 678.21 - ELECTRICAL CONDUIT (3" PVC SCHEDULE 40)

315+00 RT. - 316+65 RT. (I-21), 165 LF
 316+65 RT. (I-21) - 319+40 RT. (I-22), 275 LF
 319+40 RT. (I-22) - 321+00 RT., 160 LF

ITEM 678.26 - JUNCTION BOX

316+65, 41' RT. (I-21)
 319+40, 41' RT. (I-22)



ABBREVIATIONS	
C.	- CONDUIT
CU.	- COPPER
GRD.	- GROUND

LEGEND		
	STREET LIGHT POLE	L-1 = ONE LEG OF THREE WIRE CIRCUIT
	UTILITY POLE	S10 = LIGHT POLE NUMBER (SHELburne)
	LUMINAIRE	V10 = LIGHT POLE NUMBER (VAOT)
	STRAIN POLE W/ MAST ARM	C10 = LIGHT POLE NUMBER (CANTILEVER - VAOT)
	PEDESTRIAN POLE	PE(S-1) = SIGNAL PULLBOX NUMBER
	PULL BOX OR JUNCTION BOX	JB(I-1) = INTERCONNECT JUNCTION BOX NUMBER
	SIGNAL CONDUIT	JB(L-1) = LIGHTING JUNCTION BOX NUMBER
	INTERCONNECT CABLE CONDUIT	PE(P-1) = POWER SOURCE PULLBOX NUMBER
	LIGHTING CONDUIT	
	SLEEVE	
	POWER DROP STANCHION	

NOTE:
 SEE SIGNAL DRAWINGS NO's. 1 THROUGH 14 FOR SIGNAL CONDUITS, PULLBOXES, WIRING, POLES AND SLEEVES.
 SEE TYPICAL SECTION DRAWING NO. 7 FOR TYPICAL CONDUIT PLACEMENT DETAIL.
 INTERCONNECT ITEMS BETWEEN STA. 265+75 AND STA. 323+50 ARE FOR FUTURE INTERCONNECT SYSTEM.

DATUM
 VERTICAL NCGVD 1929
 HORIZONTAL NAD 1927

4/13/04
 SCALE IN FEET
 0 20 40

SHELburne
 SURVEYED BY V.S.C. INC. DATE _____
 DRAWN BY E.A.A. INC. DATE _____
 TRACED BY E.A.A. INC. DATE _____
 PROJECT NH-ECC-019-4(27)
 LIGHTING DRAWING NO. 11
 SHEET NO. 250 OF 537