

MATERIAL ITEM	THICKNESS	TOLERANCE
PAVEMENT (TOTAL DEPTH ALL LAYERS)	+/- 1/4"	
SUBBASE (TOTAL DEPTH ALL LAYERS)	+/- 1"	
SAND BORROW (TOTAL DEPTH ALL LAYERS)	+/- 1"	

TYPICAL SECTIONS


COLD PLANE AND OVERLAY

2" COLD PLANE
2" SUPERPAVE BITUMINOUS CONCRETE PAVEMENT (1/2" WEARING COURSE OVER 1/2" LEVELING COURSE, TYPE IVS)


BOX WIDENING

2" SUPERPAVE BITUMINOUS CONCRETE PAVEMENT (1/2" OVER 1/2" LEVELING COURSE, TYPE IVS)
2" SUPERPAVE BITUMINOUS CONCRETE PAVEMENT (3/4" OVER 3/4" TYPE IS)
24" SUBBASE OF DENSE GRADED CRUSHED STONE
18" SAND BORROW

TACK COAT (MULTI-SPEED ASPHALT) IS TO BE APPLIED AT THE RATE OF 0.025 GAL/SY BETWEEN SUCCESSIVE COURSES OF PAVEMENT AS DIRECTED BY THE ENGINEER.



COLDPLANE AND OVERLAY SECTION WITH BOX WIDENING
US ROUTE 2 STA. 7+13.12 - 8+69.66
NOT TO SCALE



COLDPLANE AND OVERLAY SECTION WITH BOX WIDENING
US ROUTE 2 STA. 6+00.00 - 7+13.12
NOT TO SCALE

PROJECT NAME: RICHMOND
PROJECT NUMBER: STP 0284 (17)
FILE NAME: 2970861.dgn PLOT DATE: 4/29/2013
PROJECT LEADER: ERK ATKINS DRAWN BY: S. FORTIER
DESIGNED BY: T. BIGELOW CHECKED BY: E. ATKINS
US ROUTE 2 TYPICAL SECTIONS SHEET 1 SHEET 34 OF 33