

DURABLE 4 INCH WHITE LINE
 U.S. ROUTE 2 20+00 ~ 20+64 LT, 64 LF (EL)
 U.S. ROUTE 2 21+98 ~ 24+50 LT, 252 LF (EL)
 U.S. ROUTE 2 20+00 ~ 21+00 RT, 100 LF (TL)
 U.S. ROUTE 2 20+00 ~ 24+50 RT, 450 LF (EL)

DURABLE 4 INCH YELLOW LINE
 U.S. ROUTE 2 20+00 ~ 20+93 LT & RT, 2X93=186 LF (DYCL)
 U.S. ROUTE 2 21+43 ~ 23+15 RT, 4X175=700 LF (DYCL)
 U.S. ROUTE 2 23+15 ~ 24+50 LT & RT, 2X135=270 LF (DYCL)


DURABLE 8 INCH YELLOW LINE
 U.S. ROUTE 2 21+43 ~ 22+75 RT, 90 LF (GORE)

DURABLE LETTER OR SYMBOL
 U.S. ROUTE 2 20+55 ~ 20+76 RT, 1 LEFT ARROW, 1 "ONLY" (1x4=4 EACH)

DELINEATORS WITH STEEL POSTS
 U.S. ROUTE 2 STA. 20+19 ~ 20+63 RT (3 EACH)
 REMOVE AND REINSTALL EACH

REMOVING SIGNS
 3 EACH
ERECTING SALVAGED SIGNS
 3 EACH

LEGEND	
[Symbol]	= EXISTING SIGN
[Symbol]	= NEW SIGN
B-B	= BACK TO BACK
CL	= CHANNELIZING LINE
DYCL	= DOUBLE YELLOW CENTER LINE
EL	= EDGE LINE
GORE	= GORING
LL	= LANE LINE
N	= NEW
R	= REMOVE EXISTING SIGN AND POST
R&N	= REMOVE EXISTING POST AND PROVIDE NEW POST
R&S	= REMOVE AND SALVAGE
RET	= RETAIN AT EXISTING LOCATION
S	= SALVAGE
TL	= TURN LANE
DNBBL	= DO NOT BLOCK BOX LINE
CH	= CROSSHATCH LINE (5' SPACING)



TEMPORARY 4 INCH WHITE LINE
 U.S. ROUTE 2 20+00 ~ 20+64 LT, 64 LF (EL)
 U.S. ROUTE 2 21+98 ~ 24+50 LT, 252 LF (EL)
 U.S. ROUTE 2 20+00 ~ 21+00 RT, 100 LF (TL)
 U.S. ROUTE 2 20+00 ~ 24+50 RT, 450 LF (EL)

TEMPORARY 4 INCH YELLOW LINE
 U.S. ROUTE 2 20+00 ~ 20+93 LT & RT, 2X93=186 LF (DYCL)
 U.S. ROUTE 2 21+43 ~ 23+15 RT, 4X175=700 LF (DYCL)
 U.S. ROUTE 2 23+15 ~ 24+50 LT & RT, 2X135=270 LF (DYCL)

TEMPORARY 8 INCH YELLOW LINE
 U.S. ROUTE 2 21+43 ~ 22+75 RT, 90 LF (GORE)

TEMPORARY LETTER OR SYMBOL
 U.S. ROUTE 2 20+55 ~ 20+76 RT, 1 LEFT ARROW, 1 "ONLY" (1x4=4 EACH)



PROJECT NAME:	RICHMOND
PROJECT NUMBER:	STP 0284 (17)
FILE NAME:	z97c186pmbdr.dgn
PROJECT LEADER:	JEFFREY MAXTUTIS
DESIGNED BY:	J.SOBEL
PVMT. MARKING AND SIGNS LAYOUT SHEET 4	SHEET 59 OF 133
PLOT DATE:	4/29/2013
DRAWN BY:	Y.CAO/LALMY
CHECKED BY:	D.FLYNN