


TEMPORARY AND DURABLE 100 mm WHITE LINE (MOD. 2)
 STA. 6+600.0 TO 7+300.0, SOLID LT. & RT.

TEMPORARY AND DURABLE 100 mm YELLOW LINE (MOD. 2)
 STA. 6+600.0 TO 6+694.9, DASHED CENTERLINE
 STA. 6+694.9 TO 6+920.2, DASHED LT. / SOLID RT.
 STA. 6+920.2 TO 7+300.0, SOLID LT. & RT.

DITCH CLEANING
 STA. 6+630.5 TO 6+823.6, LT.
 STA. 6+800.0 TO 7+000.0, RT.
 STA. 7+129.4 TO 7+300.0, LT.
 (FOR DETAILS SEE SHEET 11)



- NOTES: 1) ALL DIMENSIONS IN MILLIMETERS EXCEPT WHERE OTHERWISE INDICATED.
- 2) ALL EXISTING SIGNS NOT SHOWN SHALL BE RETAINED AS DIRECTED BY THE RESIDENT ENGINEER.
- 3) FOR ANY TOWN HIGHWAY OR STREET DETAILS, SEE VTrans STANDARD E-193M.
- 4) FOR ALL PAVEMENT MARKING DETAILS, SEE VTrans STANDARDS E-191M & E-192M
- 5) EW= EXISTING ROADWAY WIDTH

PROJECT LAYOUT #17	PROJECT NAME: ST. ALBANS-HIGHGATE	PLOT DATE: 16-SEP-2005 13:16
	PROJECT NUMBER: STP 2114(1)S	DRAWN BY: D-H
	FILE NAME: /pave/98c110/pcl10.dgn	CHECKED BY: D-H
	DESIGNED BY: D-H	SHEET 32 OF 89
	IPARM FILE NAME: pcl10p17.i	

