



TEMPORARY & DURABLE 100 mm WHITE LINE
STA. 2+000.0 TO 2+400.0, SOLID LT. & RT.



TEMPORARY & DURABLE 100 mm YELLOW LINE
STA. 2+000.0 TO 2+400.0, SOLID LT. & RT.

REMOVAL AND DISPOSAL OF GUARD RAIL
STA. 2+000.0 TO 2+065.6, LT.

MANUFACTURED TERMINAL SECTION (FLARED)
STA. 2+057.5 TO 2+068.9, LT.

STEEL BEAM GUARD RAIL W/2.4 METER POSTS (MOD.)
STA. 2+000.0 TO 2+057.5, LT.

DITCH CLEANING
STA. 2+274.0 TO 2+328.0, LT. (SITE 7)
STA. 2+332.0 TO 2+362.5, LT.
(FOR DETAILS, SEE SHEET 52)



- NOTES: 1) ALL DIMENSIONS IN MILLIMETERS EXCEPT WHERE OTHERWISE INDICATED.
- 2) ALL EXISTING SIGNS NOT SHOWN SHALL BE RETAINED AS DIRECTED BY THE RESIDENT ENGINEER.
- 3) FOR ANY TOWN HIGHWAY OR STREET DETAILS, SEE VTRANS STANDARDS E-121M & E-193M.
- 4) EW = EXISTING ROADWAY WIDTH.

LAYOUT SHEET #14	PROJECT NAME: ST. ALBANS - SWANTON	FILE NAME: /pave/01c016/p01c016.dgn	PLOT DATE: 16-SEP-2005
	PROJECT NUMBER: STP 2335(I)S	PROJECT LEADER: JLL	DRAWN BY: D-H
		DESIGNED BY: D-H	CHECKED BY: D-H
	IPARM FILE NAME: p01c016i14.i		SHEET 70 OF 89

