


LOCATION				FEET OF DITCHING			MISC. ITEMS			REMARKS	LOCATION				FEET OF DITCHING			MISC. ITEMS			REMARKS
SITE	STATION	STATION	POS.	PERCENT GRADE			STONE FILL TYP. I	GEOT. UNDER STONE FILL	TEMP. EROS. MATT.		SITE	STATION	STATION	POS.	PERCENT GRADE			STONE FILL TYP. I	GEOT. UNDER STONE FILL	TEMP. EROS. MATT.	
				0-1	1-2.5	2.5-10									0-1	1-2.5	2.5-10				
				CY	SY	SY									CY	SY	SY				
VT ROUTE 25																					
CORINTH																					
1	0+00	5+28	LT		528																
2	5+28	10+56	LT	528																	
3	12+14	14+78	RT			264	39	176													
4	52+80	73+92	LT		2112																
5	73+92	79+20	LT			528	78	352													
6	79+20	84+48	LT		528																
7	84+48	89+76	LT	528																	
8	89+76	95+04	LT		528																
9	95+04	105+60	LT		1056																
10	115+63	116+16	LT		53																
11	116+16	121+44	LT			528	78	352													
12	121+44	124+08	LT		264																
13	147+84	168+96	LT	2112																	
14	190+08	200+64	LT			1056	156	704													
TOPSHAM																					
1	5+28	10+56	RT		528																
2	15+84	21+12	LT		528																
3	72+86	90+82	RT	1796																	
4	105+60	116+16	RT		1056																
5	250+80	253+44	LT		264																
6	333+17	342+67	LT		950																
ORANGE																					
1	0+00	5+28	LT	528																	
2	5+28	10+56	LT			528	78	352													
3	10+56	14+78	LT		422																
PROJECT SUBTOTALS (EST.)				5492	8817	2904	429	1936	3920												
ROUNDING				-	-	-	-	-	-												
PROJECT TOTALS				5492	8817	2904	429	1936	3920												



DITCH DETAIL

- NOTES:
- PIPE INLET AND OUTLET AREAS, AND DITCH CLEANING THROUGH PROJECT, SHALL BE PERFORMED AT LOCATIONS INDICATED ON THIS SHEET AND AS DIRECTED BY THE VAOT RESIDENT ENGINEER. PAYMENT WILL BE UNDER THE APPLICABLE EQUIPMENT RENTAL ITEM(S).
 - ESTIMATED QUANTITIES OF TEMPORARY EROSION MATTING, SEED, AND STONE FILL TYPE I HAVE BEEN INCLUDED. DITCHES WITH A GRADE LESS THAN 1 PERCENT SHALL BE SEEDDED. TEMPORARY EROSION MATTING SHALL BE USED IN ALL DITCHES WITH A GRADE BETWEEN 1 AND 2.5 PERCENT. STONE FILL, TYPE I SHALL BE USED IN ALL DITCHES WITH A GRADE BETWEEN 2.5 AND 10 PERCENT OR AS DIRECTED BY THE VAOT RESIDENT ENGINEER.

NOT TO SCALE

DITCH CLEANING DETAIL SHEET

PROJECT NAME: BRADFORD - ORANGE
PROJECT NUMBER: S1P 2213(1)
FILE NAME: p99b178.dgn PLOT DATE: 28-MAY-2010 13:4
PROJECT LEADER: JLL DRAWN BY: STANTEC
DESIGNED BY: STANTEC CHECKED BY: JLL
IPARM FILE: p99b178dcs.i SHEET 17 OF 84

