


REHAB EXISTING 600 mm X 600 mm D.I. (CLASS II) CLEAN EXISTING DRAINAGE SYSTEM STA. DIO+222.8 RT

NEW 300 mm X 14 m PIPE (OPTION B,C & F) W/1.2 m X 1.2 m R.C.D.I. & TYPE 'E' GRATE @ INLET AND 600 mm X 1.2 m STONE FILL, TYPE I PAD @ OUTLET STA. DIO+217.0 RT

REHAB EXISTING 600 mm x 600 mm D.I. (CLASS II) CLEAN EXISTING DRAINAGE SYSTEM STA. 60+891.9 LT

NEW 300 mm X 7 m PIPE (OPTIONS A,B,C,D & F) W/1.2 m X 1.2 m R.C.D.I. & TYPE 'D' GRATE @ INLET AND 600 mm X 1.2 m STONE FILL, TYPE I PAD @ OUTLET. STA. 60+893.5 LT

- NOTES:
- DIMENSIONS FOR STONE PADS ARE GIVEN IN THE FOLLOWING FORMAT: (WIDTH x LENGTH).
 - DRAINAGE PIPE OPTIONS ARE AS FOLLOWS:
 - OPTION A - RCP
 - OPTION B - PCCSP
 - OPTION C - CAAP
 - OPTION D - CPEP(SL)
 - OPTION E - PCCSP(W/PI)
 - OPTION F - CPEP



DRAINAGE PLAN

SURVEYED BY	C.H.A. & V.S.E.	DATE	12/93
DESIGNED BY	D.E.G.	DATE	9/00
DRAWN BY	J.S.L.	DATE	9/00
CHECKED BY	T.P.K.	DATE	9/00
DESIGN FILE NO.	5116/vaot/vtdp23.dgn		
PROJ. NAME	BENNINGTON - HOOSICK D.P.I. 0146(II) C/4		
PROJ. NO.	P.J.N. 1306.60		
DWG NO. DP-3	SHEET 114 OF 385		

FILE NAME = \\s116\vaot\contract4\vd23.dgn
 DATE/TIME = 09 SEP 2000
 USER = 1459