

FULL WELD L5
TO TS 6x6

4-3/4" φ BOLTS
L 5x5

PL 3/8 x 4 x 1'-2" E.S.
TYP. SPLICE

8-3/4" φ BOLTS
PL 3/4 x 4" x 8"
w/ 3/16" WELDS E.S.

2-3/4" φ BOLTS
2-1" φ THREADED
RODS.

PL 3/4 x 1/4
x 2'-0" E.S.

TS 6x6
3/8" PL, E.S.
WELDED TO TS 6x6

TS 6x6

TS 4x4 DIAGONAL BEHIND


L 5x5 x 1/2 x 2'-0" E.S.
PL 1" x 24" x 24" JACKING PLATE (LOOSE)

2-TS 6x4 x 1/4 x 4'-0"

TIMBER CRIBBING
4'-0" x 4'-0"

4-3/4" φ BOLTS
PL 1/2"


TYPICAL CORNER ELEVATION
SCALE 3/4" = 1'-0"



RECEIVED
CK'D BY _____ OK'D BY _____
APR 12 2006
RESUBMIT _____ APPROVED _____
BY _____ DATE _____

Rev.	Description	By	Date

VERMONT
CILLEY COVERED BRIDGE
TEMPORARY SUPPORT SYSTEMS
TUNBRIDGE



Project No.	2206028
Proj. Manager	F. J. FORCIER
Proj. Designer	F. J. FORCIER
Drawn By	F. J.
Checked By	AS SHOWN
Scale	AS SHOWN
Approved	
Date	MARCH 2006

S2

Sheet of
B