


MATERIAL ITEM	TOLERANCE
PAVEMENT	± 1/4 " TOTAL THICKNESS
BASE COURSE	± 1/2 "
SUBBASE	± 1 "




SIDE SLOPES VARY AND WILL STAY WITHIN THE R.O.W.

SIDE SLOPES VARY AND WILL STAY WITHIN THE R.O.W.

3" B.C.P., TYPE III OR TYPE IV (2 - 1 1/2" LIFTS)  
 5" B.C.P., TYPE I OR TYPE II (2 - 2 1/2" LIFTS)  
 12" SUBBASE OF GRAVEL

NOTE: THIS TYPICAL IS FOR SUBBASE REPLACEMENT,  
 SEE MATERIAL TRANSITION AND CROSS SECTIONS  
 FOR AREA NOT REQUIRING SUBBASE REPLACEMENT.



**ROAD TYPICAL**

PROJECT NAME: THETFORD	PLOT DATE: 27-SEP-2006
PROJECT NUMBER: BHO 1444 (43)	DRAWN BY: G. ROKES
FILE NAME: Structures\s03j036typ.dgn	CHECKED BY: S. SCRIBNER
PROJECT LEADER: M. EVANS-MONGEON	SHEET 3 OF 60
DESIGNED BY: G. ROKES	
IPARM: s03j36tyl	