

SOIL INFORMATION
 PODUNK VARIANT SILT LOAM (K=0.32)
 HYDROLOGIC SOIL GROUP: B
 DEPTH TO BED ROCK: UNKNOWN
 DEPTH TO WATER TABLE: 27"
 MODERATE TO HIGHLY ERODABLE LAND

SOIL INFORMATION
 BUXTON SILT LOAM 15-25%
 SLOPES (K=0.32)
 HYDROLOGIC SOIL GROUP: C
 DEPTH TO BED ROCK: UNKNOWN
 DEPTH TO WATER TABLE: 27"
 MODERATE TO HIGHLY ERODABLE LAND

SOIL INFORMATION
 PODUNK VARIANT SILT LOAM (K=0.32)
 HYDROLOGIC SOIL GROUP: B
 DEPTH TO BED ROCK: UNKNOWN
 DEPTH TO WATER TABLE: 27"
 MODERATE TO HIGHLY ERODABLE LAND

SOIL INFORMATION
 DEERFIELD LOAMY FINE SAND
 0-8% SLOPES (K=0.17)
 HYDROLOGIC SOIL GROUP: B
 DEPTH TO BED ROCK: UNKNOWN
 DEPTH TO WATER TABLE: 27"
 LOW ERODABLE LAND

DATUM	
VERTICAL	NAVD 88
HORIZONTAL	NAD 83 (Con)
ADJUSTMENT	COMPASS

CONSTRUCTION CONDITIONS PLAN

SCALE: 1" = 10'-0"
 10 0 10

CONTOURS REFLECT EXISTING CONDITIONS,
 SEE CROSS SECTIONS FOR FINAL GRADES.

Hoyle, Tanner & Associates, Inc.

- LEGEND:**
- END OF SILT FENCE TURNED UPHILL TO CREATE PONDING
 - STONE CHECK DAMS
 - SOIL BOUNDARY
 - PDF - PROJECT DEMARCATION FENCE
 - SILT FENCE
 - EROSION CONTROL MATTING AND SEED

PROJECT NAME:	FAIRFIELD	FILE NAME:	z04j144e03.dgn	PLOT DATE:	4/25/2008
PROJECT NUMBER:	BHO 1448(32)	PROJECT LEADER:	J.H.WEAVER	DRAWN BY:	J.B.McQUAID
		DESIGNED BY:	J.BICJA	CHECKED BY:	S.T.JAMES
		EPSC CONSTRUCTION CONDITIONS PLAN		SHEET	13 OF 36

