



DECK PLAN  
SCALE: 1/4" = 1'-0"




1 1/16" HOLE  
R WASHER FOR CURBS, TOP, & BOTTOM


1. ALL NEW FLOOR BEAMS SHALL BE SYP NO. 1 GRADE STRUCTURAL LUMBER AND TIMBER.
2. ALL OTHER NEW STRUCTURAL LUMBER AND TIMBER SHOWN ON THIS SHEET SHALL BE SYP NO. 2 GRADE, EXCEPT 3 X 8 RUNNERS AND SHIMS, WHICH SHALL BE NO. 3 GRADE OAK OR BETTER.
3. ALL LUMBER AND TIMBER SHOWN ON THIS SHEET, EXCEPT OAK RUNNERS AND SHIMS, SHALL BE PRESSURE TREATFD.
4. PLANK FASTENERS: THE 3X10 LONGITUDINAL DECK PLANKS SHALL BE FASTENED TO EVERY FLOOR BEAM AND AT THE ENDS WITH TWO 40d COMMON WIRE NAILS, LOCATED @ 2" (PLANK FACE) EDGE DISTANCE. THE 3X8 TRANSVERSE DECK PLANKS SHALL BE FASTENED TO EVERY OTHER 3X10 PLANK AND AT THE ENDS WITH TWO 40d COMMON WIRE NAILS LOCATED @ 1 1/2" (PLANK FACE) EDGE DISTANCE. THE 3X8 RUNNER PLANKS SHALL BE FASTENED TO EVERY OTHER 3X8 TRANSVERSE PLANK AND AT THE ENDS WITH TWO 40d COMMON WIRE NAILS LOCATED @ 1 1/2" (PLANK FACE) EDGE DISTANCE.




FLOOR BEAM PLAN  
SCALE: 1/4" = 1'-0"



ELEVATION @ NORTH ABUTMENT  
BEARING BLOCK  
SCALE: 1/2" = 1'-0"



ELEVATION @ SOUTH ABUTMENT  
BEARING BLOCK  
SCALE: 1/2" = 1'-0"



FLOOR BEAM ELEVATIONS  
SCALE: 1/2" = 1'-0"

PROJECT NAME: MONTGOMERY	PLOT DATE: 21-MAY-2008
PROJECT NUMBER: BHO 1448 (37)	DRAWN BY: J. TREI
FILE NAME: s04j148.dtl	CHECKED BY: J. WEAVER
PROJECT LEADER: J. WEAVER	CONSTRUCTION DETAIL SHEET 3
DESIGNED BY: J. WEAVER	SHEET 18 OF 33