



LEGEND

— T —	AERIAL TELEPHONE
OMMMMMMM	FILTER CURTAIN
-----	SILT FENCE, WOVEN WIRE REINFORCED
○-----○	LIMITS OF SOIL DISTURBANCE
PDF-----	PROJECT DEMARCATION FENCE
-----	RIPARIAN BUFFER ZONE

SOIL CLASSIFICATION
 VERSHIRE B
 GLOVER ROCKY LOAMS
 3% TO 8% SLOPES
 "K FACTOR" 0.49
 CLASSIFIED HIGH EROSION POTENTIAL

- NOTES:**
1. THESE PLANS SHOW A CONCEPTUAL EROSION CONTROL PLAN, THE CONTRACTOR MUST SUBMIT A TEMPORARY EROSION CONTROL PLAN FOR APPROVAL.
 2. TEMPORARY EROSION CONTROL MEASURES ARE CONCEPTUALLY SHOWN. THE CONTRACTOR MAY RELOCATE TEMPORARY MEASURES TO IMPROVE EROSION CONTROL WITH APPROVAL OF THE RESIDENT ENGINEER AND ON SITE COORDINATOR. SILT FENCE SHALL NOT BE INSTALLED ACROSS CONTOURS.
 3. THE CONTRACTOR SHALL USE OTHER TEMPORARY EROSION CONTROL MEASURES AS NECESSITATED BY THE SEQUENCE OF CONSTRUCTION OR AS DIRECTED BY THE RESIDENT ENGINEER AND ON SITE COORDINATOR.
 4. REFER TO SHEET 14 FOR TEMPORARY EROSION CONTROL DETAILS.
 5. WHERE LEDGE IS EXPOSED, GRAVEL BAGS MAY BE USED INSTEAD OF FILTER CURTAIN. PAYMENT FOR THIS ITEM SHALL BE INCIDENTAL TO ITEM 649.61 "GEOTEXTILE FOR FILTER CURTAIN".

MAP 10 BLOCK 1 LOT 39-11
 N/F
 JOHNS H. CONGDON &
 JOANNE B. CONGDON
 VOL. 76 PAGES 419-420

MAP 10 BLOCK 2 LOT 26
 N/F
 JAMES SHELDON-DEAN &
 ABBY SHELDON-DEAN
 VOL. 33 PAGE 186

MAP 10 BLOCK 2 LOT 27
 N/F
 JAMES L. MORSE &
 GRETCHEN B. MORSE
 VOL. 31 PAGES 165-166

SOIL CLASSIFICATION
 HADLEY
 VERY FINE SANDY LOAMS
 0% TO 3% SLOPES
 "K FACTOR" 0.49
 CLASSIFIED HIGH EROSION POTENTIAL

MAP 10 BLOCK 2 LOT 27
 N/F
 JAMES L. MORSE &
 GRETCHEN B. MORSE
 VOL. 31 PAGES 165-166

SCALE 1" = 20'-0"
 20 0 20

DATUM
 VERTICAL: NAVD 88
 HORIZONTAL: NAD 83 (07)



PROJECT NAME: CHARLOTTE
 PROJECT NUMBER: BHO 1445(34)
 FILE NAME: z06j088bdr_ero.dgn
 PLOT DATE: 10/4/2012
 PROJECT LEADER: M.A. COLGAN
 DRAWN BY: J.W. GOLEK
 DESIGNED BY: J.W. GOLEK
 CHECKED BY: B.O. CRONIN
 EPSC CONSTRUCTION CONDITIONS SITE PLAN SHEET 12 OF 55