



FLOOR FRAMING PLAN - TIMBER
 (STEEL FRAMING NOT SHOWN, SEE SHEET 30)
 SCALE: 1/4" = 1'-0"

- KEY FOR FLOOR FRAMING REPAIRS:**
- F01 NOTCH BOTTOM OF INTERMEDIATE FLOORBEAM TO PREVENT BEARING ON TRUSS. SEE DETAIL 200, SHEET 44.
 - F02 ADD NEW THREADED ROD ASSEMBLY. SEE DETAIL 200, SHEET 44.
 - F03 REMOVE EXISTING LEDGER FROM SIDE OF TRUSS BOTTOM CHORD. SEE DETAIL 202, SHEET 44, FOR TERMINATION OF FLOOR JOISTS.
 - F04 CONNECT EXISTING FLOORBEAMS TO NEW BEAMS AND SHIM GAPS (IF ANY) BETWEEN FLOORBEAMS AND BEAMS SEE DETAIL 203, SHEET 44.
 - F05 CONNECT NEW FLOORBEAM TO EXISTING POST PER DETAIL 204, SHEET 44.
 - F06 STITCH TRIPLE-PLY FLOORBEAM TOGETHER PER DETAIL 205, SHEET 44.
 - F07 SHIM GAPS (IF ANY) BETWEEN BOTTOM OF FLOORBEAM AND TOP OF TRUSS BOTTOM CHORD WITH SOUTHERN PINE SHIMS (TYPE IV PRESERVATIVE TREATMENT), COST INCIDENTAL TO ITEM 900.645 SPECIAL PROVISION (REHABILITATING COVERED BRIDGE SUPERSTRUCTURE). SECURE SHIMS WITH SCREWS OR NAILS.

- LEGEND**
- PREDETERMINED MEMBERS TO BE REPLACED (SIZE TO MATCH EXISTING, UNLESS OTHERWISE NOTED)
 - PREDETERMINED PORTION OF EXISTING MEMBER TO BE REPLACED (MATCH SIZE OF EXISTING)
 - ADDED MEMBER
 - EXISTING MEMBER TO BE REMOVED
 - FLOOR FRAMING REPAIR KEY NUMBER

PROJECT NAME:	CHARLOTTE	FILE NAME:	z06j088details_truss.dgn	PLOT DATE:	10/4/2012
PROJECT NUMBER:	BHO 1445(34)	PROJECT LEADER:	M.A. COLGAN	DRAWN BY:	K.D. WENTWORTH
		DESIGNED BY:	K.E. HILL	CHECKED BY:	M.A. COLGAN
		FLOOR FRAMING PLAN - TIMBER		SHEET	29 OF 55

