

TRAFFIC SIGN SUMMARY SHEET 2 - DUMMERSTON

DIRECTION	MILEMARKER, STATION, OR SIGN NUMBER	LOCATION	MANUAL ON UNIFORM TRAFFIC DEVICES OR STATE CODE	SIGN DIMENSIONS		SHEETING REMARKS	SIGN LEGEND	NEW SIGNS		EXISTING SIGNS					NO. OF NEW POSTS	SQUARE STEEL (in)			TUBULAR STEEL 0/(in)				SIGN FRAME REQUIRED	REMARKS SHS = STANDARD HIGHWAY SIGN BOOK	SIGN DETAIL							
				WIDTH	HEIGHT			"A"	"B"	RETAIN	SALVAGE FROM	SALVAGE TO	REMOVE	REPLACE		REMOVE	1.75	2.00	2.50	FOUNDATION	3.00	3.50			4.00	5.00	DETAIL IN SHS	DETAIL ON SHEET NUMBER	STANDARD SHEET NUMBER			
																														lb/ft		
SB	MM 0.853, LT	E	WI-6R	48	24			8.00															INSTALL NEW SIGN ON 2 POSTS 45 FT NORTH OF POLE #GMP/6/NET/12-4/18	X								
SB	MM 0.860, LT	F	WI-6L	48	24			8.00															INSTALL NEW SIGN ON 2 POSTS 50 FT NORTH OF POLE #GMP/6/NET/12-4/18	X								
SB	MM 0.863, LT	E	WI-IR	48	48																		REMOVE EXISTING SIGN AND POST 60 FT NORTH OF POLE #GMP/6/NET/12-4/18									
SB	MM 0.865, LT	F	WI-IL	48	48																		REMOVE EXISTING SIGN AND POST 65 FT NORTH OF POLE #GMP/6/NET/12-4/18									
SB	MM 0.890, LT	F	WI-IL	30	30			6.25															INSTALL NEW SIGN AND POST 420 FT SOUTH AND ACROSS FROM TUCKER REED ROAD NORTH OF POLE #48296	X								
		F	WI3-IP	18	18			2.25															INSTALL NEW PLAQUE BELOW WI-IL SIGN ON THE SAME POST	X								
NB	MM 1.110, RT	C	VR-017	24	30			5.00															REPLACE EXISTING SIGN AND POST 160 FT EAST ON TUCKER REED ROAD			5						
NB	MM 1.120, RT	D	RI-1	30	30		TUCKER REED RD TUCKER REED RD	6.25			X	X	X										REPLACE EXISTING SIGN AND POST ON THE NORTHEAST CORNER OF THE TUCKER REED ROAD	X								
NB	MM 1.250, RT TO MM 1.330, RT	A B		6	8		(14) TYPE II - 6" X 8" WHITE DELINEATORS																INSTALL NEW DELINEATORS (14) BACK-TO-BACK 60 FT APART ON 7 POSTS, INSTALL FIRST DELINEATOR 680-490 FT NORTH OF TUCKER REED ROAD			6						
NB	MM 1.390, RT	A	WI-IR	30	30			6.25															INSTALL NEW SIGN AND POST 317 FT NORTH FROM THE LAST DELINEATORS CHEVRON AT MM 1.419	X								
		A	WI3-IP	18	18			2.25															INSTALL NEW PLAQUE BELOW WI-IR SIGN ON THE SAME POST	X								
SB	MM 1.410, LT	F E	WI-8L WI-8R	18 18	24 24			3.00 3.00															INSTALL NEW, BACK-TO-BACK CHEVRON SIGNS ON SIGN-BRACKET 422 FT NORTH AND ACROSS FROM THE LAST DELINEATORS SEPARATE POSTS	X								
SB	MM 1.419, LT	F	WI-8L	18	24																		REMOVE EXISTING SIGN AND POST 470 FT NORTH OF AND ACROSS FROM THE LAST DELINEATOR									
SB	MM 1.430, LT	F E	WI-8L WI-8R	18 18	24 24			3.00 3.00															REPLACE ONE AND INSTALL NEW BACK-TO-BACK CHEVRON SIGNS ON SIGN-BRACKET 422 FT SOUTH OF AND ACROSS FROM KNAPP ROAD SEPARATE POSTS	X								
SB	MM 1.440, LT	F	WI-8L	18	24																		REMOVE EXISTING SIGN AND POST 370 FT SOUTH OF AND ACROSS FROM KNAPP ROAD									
SB	MM 1.450, LT	F E	WI-8L WI-8R	18 18	24 24			3.00 3.00															INSTALL NEW BACK-TO-BACK CHEVRON SIGNS ON SIGN-BRACKET 317 FT SOUTH OF AND ACROSS FROM KNAPP ROAD SEPARATE POSTS	X								
FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE VTRANS "SIGN POST DESIGN GUIDE".										EA	EA	EA	EA	EA	EA	FT	FT	FT	LB	LB	LB	LB										
SHEET SUBTOTALS								SF	SF	EA	EA	EA	EA	EA	EA	FT	FT	EA	LB							PROJECT NAME: STATEWIDE SOUTHEAST REGION PROJECT NUMBER: STP HRRR(10) FILE NAME: d:\0k320_wrk.dgn PROJECT LEADER: JLS DESIGNED BY: NLA DUMMERSTON TRAFFIC SIGN SUMMARY 2						PLOT DATE: 09-AUG-2011 DRAWN BY: ITS CHECKED BY: JLS SHEET 9 OF 38
								62.25		7	7	9	14	14	14	165-181	165-181															