


CONCEPTUAL RETAINING WALL ON SOIL

CONCEPTUAL RETAINING WALL ON BEDROCK



CONCEPTUAL RETAINING WALL ON BEDROCK

CONCEPTUAL RETAINING WALL ON SOIL

NOTES:

1. DIMENSIONS MEASURED ALONG EXPOSED FACE OF RETAINING WALLS.
2. CONNECTIONS BETWEEN FRAME AND RETAINING WALLS SHALL MATCH HORIZONTALLY AND VERTICALLY.
3. RETAINING WALL FOUNDATIONS MUST BE PLACED AT A MINIMUM DEPTH OF 5'-0" BELOW FINISH GRADE, MEASURED PERPENDICULAR TO FINISH GRADE SURFACE, IF FOUNDED UPON SOIL.
4. BEDROCK SHOWN IS NOT REPRESENTATIVE OF ACTUAL CONDITIONS, BUT AN EXAMPLE TO HOW A RETAINING WALL CAN BE CONSTRUCTED UPON BEDROCK. CONTRACTOR WILL BE RESPONSIBLE FOR ESTABLISHING ACTUAL ELEVATIONS.

PROJECT NAME: POULTNEY	
PROJECT NUMBER: BF 0138(12)	
FILE NAME: s13j276sub.dgn	PLOT DATE: 23-AUG-2018
PROJECT LEADER: R. YOUNG	DRAWN BY: G. ROY
DESIGNED BY: G. DARGAN	CHECKED BY: G. LAROCHE
FRAME ELEVATIONS	SHEET 27 OF 46