















TRAFFIC SIGN SUMMARY SHEET 4

DIRECTION	MILEMARKER, STATION, OR SIGN NUMBER	LOCATION	MANUAL ON UNIFORM TRAFFIC DEVICES OR STATE CODE	SIGN DIMENSIONS		SHEETING REMARKS	SIGN LEGEND	NEW SIGNS		EXISTING SIGNS				EXISTING POST	NO. OF NEW POSTS	SQUARE STEEL (in)			TUBULAR STEEL O/(in)				SIGN FRAME REQUIRED	REMARKS SHSM = STANDARD HIGHWAY SIGN & MARKING BOOK	SIGN DETAIL								
				WIDTH	HEIGHT			"A"	"B"	RETAIN	SALVAGE FROM	SALVAGE TO	REMOVE			RETAIN	REMOVE	1.75	2.00	2.50	3.00	3.50			4.00	5.00	DETAIL IN SHSM	DETAIL ON SHEET NUMBER	STANDARD SHEET NUMBER				
																														lb/ft	lb/ft	lb/ft	lb/ft
SB	MM 2.360 LT	F	WI-6L	48	24			8.00									25.0 30						INSTALL A NEW LARGE LEFT ARROW SIGN ON TWO NEW POSTS LOCATED 116' NORTH OF AND ACROSS FROM MAILBOX # 153	X									
SB	MM 2.473 LT	F	R2-1	24	30																		REMOVE EXISTING SPEED LIMIT SIGN AND POST LOCATED 63' NORTH OF AND ACROSS FROM POLE # 64/67/60										
SB	MM 2.473 LT	F	WI-3R	30	30			6.25										13.25 15						INSTALL A NEW REVERSE TURN SIGN AND POST LOCATED 63' NORTH OF AND ACROSS FROM POLE # 64/67/60	X								
NB	MM 2.598 RT	A	R2-1	24	30			5.00										12.75 15						INSTALL A NEW SPEED LIMIT SIGN AND POST LOCATED 137' NORTH OF POLE # 69/22/NET/62	X								
SB	MM 2.598 LT	F	R2-1	24	30			5.00										14.25 15						INSTALL A NEW SPEED LIMIT SIGN AND POST LOCATED 137' NORTH OF AND ACROSS FROM POLE # 69/22/NET/62	X								
NB	MM 2.731 RT	A	WI-1L	30	30			6.25										13.0 15						INSTALL A NEW TURN LEFT SIGN AND POST LOCATED 52' SOUTH OF POLE # NET/65/64/72	X								
NB	MM 2.762 RT	A B	WI-8L WI-8R	18 18	24 24			3.00 3.00										11.25 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 69' SOUTH OF POLE # NET/66	X								
NB	MM 2.779 RT	A B	WI-8L WI-8R	18 18	24 24			3.00 3.00										12.5 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 21' NORTH OF POLE # NET/66	X								
NB	MM 2.793 RT	A B	WI-8L WI-8R	18 18	24 24			3.00 3.00										13.0 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 95' NORTH OF POLE # NET/66	X								
SB	MM 2.809 LT	F	WI-1R	30	30			6.25										14.0 15						INSTALL A NEW TURN RIGHT SIGN AND POST LOCATED 21' SOUTH OF POLE #67	X								
NB	MM 2.931 RT	A	WI-1R	30	30			6.25										12.75 15						INSTALL A NEW TURN RIGHT SIGN AND POST LOCATED 137' SOUTH OF AND ACROSS FROM POLE # NET/24/70	X								
SB	MM 2.943 LT	E F	WI-8L WI-8R	18 18	24 24			3.00 3.00										11.75 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 74' SOUTH OF POLE # NET/24/70	X								
SB	MM 2.961 LT	E F	WI-8L WI-8R	18 18	24 24			3.00 3.00										11.75 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 21' NORTH OF POLE # NET/24/70	X								
SB	MM 2.976 LT	E F	WI-8L WI-8R	18 18	24 24			3.00 3.00										11.75 15						INSTALL TWO NEW CHEVRONS ON ONE POST USING A BRACKET. LOCATE IT 100' NORTH OF POLE # NET/24/70	X								
<p>FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE VTRANS "SIGN POST DESIGN GUIDE".</p>																																	
								SF	SF																								
								79.00		EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA	EA		