ELEVATION VIEW
ABUTMENT 2, GIRDERS 1 & 4
VERTICAL LOAD CAPACITY = 600kN
QTY. REQD = 1

PLAN VIEW

SIDE VIEW

ANCHOR BOLT DETAIL

DETAIL Z

5 9mm X 19mm slotted hole

ZONE	REV.	DESCRIPTION	DATE	APPROVED
--	A	PER ENGINEERS MARK	11/17/06	C.A.M.
--	B	PER ENGINEERS MARK	2/15/07	C.A.M.

RECEIVED
FEB 23 2007

NOTES
1. REFERENCE SHEET 7 OF 7 FOR BEARING NOTES.

SUNDERLAND
PROJECT NO. BRF 0114(2)
HIGHWAY NO. TH 3, BRIDGE NO. 13
OVER ROARING BRANCH

UNGUIDED POT BEARING DETAIL

AMSCOT
STRUCTURAL PRODUCTS CORP.
DOVER, NJ

SCALE: N.T.S.	APPRV'D: B.F.	DRAWN BY: C.A.M.	JOB# 2291
DATE: 8/27/06		REVISION: B	

FOR: PETRICCA CONSTRUCTION COMPANY

DWG NO: PCOBABRB | SHEET NO. 6 OF 7