



\*GRUBBING MATERIAL SHALL NOT BE PLACED ON THE STONE FILL IN THE AREA UNDER THE BRIDGE. WHENEVER CHANNEL SLOPE INTERSECTS ROADWAY SUBBASE, GRUBBING MATERIAL SHALL BEGIN AT THE BOTTOM OF SUBBASE.

\* BCP SHALL BE READ AS BITUMINOUS CONCRETE PAVEMENT AND SHALL BE PAID FOR UNDER ITEM 900.680, "SPECIAL PROVISION, BITUMINOUS CONCRETE PAVEMENT, SMALL QUANTITY"

MATERIAL ITEM	TOLERANCE
PAVEMENT	±5 mm TOTAL THICKNESS
AGGREGATE SURFACE COURSE	±10 mm
BASE COURSE	±15 mm
SUBBASE	±30 mm
SAND BORROW	±30 mm
GRANULAR BORROW	±30 mm

**PROJECT TYPICAL SECTIONS (1)**

PROJECT NAME: BRATTLEBORO  
 PROJECT NUMBER: BRF 2000(2)S  
 FILE NAME: 96J228\Stf\sj228typ.dgn PLOT DATE: 26-MAY-2009  
 PROJECT MANAGER: R. R. WHITCOMB DRAWN BY: C. MOONEY  
 DESIGNED BY: C. CARLSON CHECKED BY: D. PETERSON  
 SHEET 11 OF 77