



END ELEVATION VIEW OF SIDING
(TYP)

SCALE $\frac{3}{8}$ " = 1'-0"




CAP BOARD DETAIL

SCALE $1\frac{1}{2}$ " = 1'-0"



OUTSIDE ELEVATION VIEW OF SIDING
(TYP)

SCALE $\frac{3}{8}$ " = 1'-0"



INSIDE ELEVATION VIEW OF SIDING
(TYP)

SCALE $\frac{3}{8}$ " = 1'-0"


NOTES

1. SIDING AND CAP BOARDS SHALL BE 1" THICK ROUGH, FULL-SAWN HEMLOCK NO. 1 GRADE RANG FROM 8" TO 12" WIDE, AND FASTENED WITH 2 1/2" LONG NO. 8 SCREWS. THE SIDING SHALL BE PRESSURE TREATED. PAYMENT FOR THE SIDING SHALL BE UNDER THE ITEM 522.30 "NON-STRUCTURAL LUMBER-UNTREATED".
2. ALL SCREWS SHALL BE GALVANIZED.
3. THE METAL ROOFING ON THE CAP BOARD SHALL BE UNDER THE ITEM 665.18 "METAL ROOFING". THE METAL ROOFING ON THE CAP BOARD SHALL BE THE SAME MATERIAL AS THE MAIN ROOF. THE CONTRACTOR SHALL PROPOSE A DETAIL FOR THE SEAMS AND CONNECTION FOR THIS SECTION OF ROOF. THE DISTANCE BETWEEN SEAMS SHALL NOT EXCEED 12'-0". ALL CONNECTION HARDWARE FOR THIS SECTION OF ROOF SHALL BE MADE BELOW THE EXPOSED FACE.
4. THE NAILERS AND WEDGE CAP NAILERS SHALL BE ROUGH, FULL SAWN SPRUCE NO. 1 GRADE. THE NAILERS SHALL NOT BE PRESSURE TREATED. PAYMENT FOR THE NAILERS SHALL BE MADE UNDER THE ITEM 522.30 "NON-STRUCTURAL LUMBER-UNTREATED".

SCALE $\frac{3}{8}$ " = 1'-0"



SCALE $1\frac{1}{2}$ " = 1'-0"



PROJECT: PROCTOR - PITTSFORD	PROJECT NO.: BHO 1443
DESIGN FILE NAME: 96j242\Structures\sj242ebr typ. dgn	PLOT DATE: 10-JAN-
IPARM FILE NAME: sj242esiding. i	DRAWN BY: R.S. YOU
DESIGNED BY: W.B. SYMONDS	CHECKED BY: W.B. SY
SQUAD LEADER: C.P. WILLIAMS	SHEET: 28 OF 60
SIDING DETAILS	