



NOTES:

1. SILT FENCE LOCATIONS SHOWN ON THIS DRAWING ARE APPROXIMATE. THE ENGINEER AND ON-SITE COORDINATOR SHALL APPROVE ALL SILT FENCE LOCATIONS PRIOR TO PLACEMENT.
2. GRAVEL BAGS SHALL BE 1'-0" WIDE BY 1'-6" LONG BY 3" HIGH. THE CONTRACTOR SHALL HAVE ADEQUATE AMOUNTS OF GRAVEL BAGS ON SITE FOR ANY REPAIRS OR MODIFICATIONS TO THE EROSION CONTROL PLAN.
3. GRAVEL BAGS SHALL BE SAND BAGS, FILLED WITH CLEAN STONE, RATHER THAN SAND, TO PREVENT SEDIMENT FROM ENTERING A DRAINAGE SYSTEM IF BAGS ARE DAMAGED DURING USE. GRAVEL BAGS SHALL BE INDIVIDUALLY TIED, DOUBLE BAGGED AND INVERSELY INSERTED. GRAVEL BAGS SHALL LAP THE JOINTS BETWEEN THE BAGS IN THE LAYER BELOW.
4. THE CONTRACTOR SHALL INSTALL A STABILIZED CONSTRUCTION ENTRANCE, IF NECESSARY, ACCORDING TO THE SPECIFICATIONS AND DETAILS SHOWN ON SHEET 14. PAYMENT WILL BE MADE UNDER ITEM 653.35, VEHICLE TRACKING PAD.
5. ALL DISTURBED SIDE SLOPES SHALL BE MATTED WITHIN 24 HOURS OR SOONER IF A RAIN EVENT IS EXPECTED. ALL FINAL GRADED AREAS SHALL BE PROTECTED WITH EROSION MATTING.
6. STOCKPILES SHALL BE MATTED IF THEY WILL BE UNDISTURBED FOR MORE THAN 24 HOURS OR SOONER IF A RAIN EVENT IS EXPECTED.
7. IF IT IS NECESSARY TO DEWATER THE EXCAVATED AREA DIRECTLY BEHIND THE ABUTMENT BACKWALLS (SEE SHEET 3), THE CONTRACTOR SHALL PUMP THE WATER UPSTREAM OF THE GRAVEL BAGS AND DISCHARGE THE WATER THRU A SEDIMENT CONTAINMENT BAG (FILTER BAG) AND INTO THE FIELD OR EXISTING DITCH. THE LOCATION OF THE DISCHARGE POINT SHALL BE APPROVED BY THE ENGINEER AND THE ON-SITE COORDINATOR.
8. THE CONTRACTOR SHALL REMOVE ACCUMULATED SEDIMENT FROM CONTAINMENT SYSTEMS AND OTHER SEDIMENT CONTROL STRUCTURES OR DEVICES AS REQUIRED, SUCH THAT PERFORMANCE OF THESE SYSTEMS IS NOT COMPROMISED OR IN ANY WAY IMPAIRED.
9. THE CONTRACTOR SHALL REMOVE ALL DEBRIS AND REPAIR ALL DAMAGES CAUSED BY SOIL EROSION OR CONSTRUCTION EQUIPMENT AT OR BEFORE THE END OF EACH DAY.

PLACE GRAVEL BAGS AS REQUIRED TO CHANNEL OFF-SITE WATER TO THE FIELD ON THE NORTH SIDE OF THE ROAD AND THE EXISTING DITCH ON THE SOUTH SIDE OF THE ROAD GRAVEL BAGS SHALL BE LOCATED BEHIND THE TYPE III BARRICADES

PLACE GRAVEL BAGS AS REQUIRED TO CHANNEL OFF-SITE WATER TO THE FIELD ON THE NORTH SIDE OF THE ROAD GRAVEL BAGS SHALL BE LOCATED BEHIND THE TYPE III BARRICADES

SURVEYED BY: VERMONT SURVEY CONSULT., INC.
 SURVEYED DATE: MAY 26, 2000
 DATUM
 VERTICAL NGVD 1988
 HORIZONTAL ASSUMED

LEGEND

- TEMPORARY EROSION MATTING (PAYMENT FOR TEMPORARY EROSION MATTING SHALL BE MADE UNDER ITEM 653.20)
 - GRAVEL BAGS (PAYMENT FOR GRAVEL BAGS SHALL BE MADE UNDER ITEM 900.620 SPECIAL PROVISION (GRAVEL BAGS))
 - GEOTEXTILE FOR SILT FENCE, WOVEN WIRE REINFORCED (PAYMENT FOR SILT FENCE SHALL BE MADE UNDER ITEM 649.515)
 - BARRIER FENCE (PAYMENT FOR BARRIER FENCE SHALL BE MADE UNDER ITEM 653.50)

SCALE 1" = 10'-0"



PROJECT NAME: CLARENDON
 PROJECT NUMBER: BHO 1443 (39)
 FILE NAME: ...Drawing\11-clar-ecplan.dgn PLOT DATE: 7/2/2009
 PROJECT LEADER: MJC DRAWN BY: SEB
 DESIGNED BY: SEB CHECKED BY: MJC
 EROSION & SEDIMENT CONTROL PLAN SHEET II OF 24