



3/8" x 1/2" STEEL COUNTER WITH 3/8" EXP. ANCH @ 12" O.C. TOP EXPANSION ANCHORS AT EACH JOINT TO BE DETACHED ON EXIST. CONCRETE FOUND FOUND AT TOP OF WALL

3/8" x 1/2" STEEL COUNTER WITH 3/8" EXP. ANCH @ 12" O.C. TOP EXPANSION ANCHORS AT EACH JOINT TO BE DETACHED ON EXIST. CONCRETE FOUND FOUND AT TOP OF WALL

EXIST. 5'-0" WIDE x 11'-5" DEEP PRECAST DOUPLES TRAC

STRUCTURAL STEEL: ASTM A36
 STRUCTURAL TUBING: ASTM A500
 SHOP PAINT R20 GRAY TRP G3C TYPE II 2 MILS DRY
 SHOP CONNECTIONS - WELDED
 FIELD CONNECTIONS - A305 3/4" BOLTS & WELDERS

No.	Revised To	By	Date	Revised
6	G.I.D.	Hand	4-15-82	

This drawing is the property of Bennington Iron Works and may not be reproduced or copied in whole or in part without its permission.

JAN NUMBER
32.1543

Bennington Iron Works, Inc.
 HARMON ROAD & P.O. BOX 193
 BENNINGTON, VT. 05201
 802 442-2923

Drawing No. **E 1** Made by **T.F.**
 Date **SEPT 12-82** Directed by **J.R.S.**
 Architect **Lowes Construction Enterprises, Inc.**
 Contractor **Wm. W. Mazer, Contractor**
 Job **Lowes Dome Replacement**
 Address **FRANKLIN ST. W. BENTON**