



FLOOR PLAN - DOMESTIC WATER PIPING
 SCALE: 1/8" = 1'-0"

GENERAL NOTES:

- A. THE EXISTING FACILITY WILL BE OCCUPIED AND FUNCTIONING DURING THE ENTIRE DURATION OF CONSTRUCTION. CARE SHALL BE TAKEN WHEN WORKING IN OR AROUND OCCUPIED SPACES. THERE WILL BE NO INTERRUPTION IN HVAC SYSTEMS OR UTILITIES WITHOUT WRITTEN REQUEST TO, AND APPROVAL FROM THE OWNER.
- B. ALL DOMESTIC HOT AND COLD PIPING TO FIXTURES TO BE 1/2" IN SIZE, UNLESS OTHERWISE NOTED.
- C. COORDINATE ALL PIPING RUNS BEFORE INSTALLATION WITH GC AND MC.

KEYED NOTES:

- ① RECONNECT TO EXISTING DOMESTIC COLD, HOT AND 3/4" RECIRC. HOT WATER PIPING FROM FLOOR LEVEL. RUN PIPING UP TO AND IN-BETWEEN ROOF JOISTS.
- ② 1/2" HOT AND COLD WATER LINES DOWN IN CHASE WITH THE HOT WATER HEATING PIPES. COORDINATE WITH MC. RUN ALONG WALL TO UNDERSIDE OF COUNTERTOP. AT SINKS TEE OFF WITH 1/2" TO BOTH HOT AND COLD AND RECONNECT TO EXISTING SINK FEEDS.
- ③ 1/2" HOT AND COLD WATER LINES DOWN ON WALL TO CONNECT TO EXISTING JANITOR'S SINK. COORDINATE WITH GC. SUPPORT TO WALL EVERY 5'-0".
- ④ 1" COLD WATER LINE DOWN IN WALL TO CONNECT TO EXISTING LINE THAT SERVES BATHROOM FIXTURES. COORDINATE WITH GC. SUPPORT TO WALL EVERY 5'-0". GC TO PATCH WALL TO MATCH EXISTING.
- ⑤ 1/2" HOT AND COLD WATER LINES DOWN ON WALL TO CONNECT TO EXISTING BAR SINK. COORDINATE WITH GC. SUPPORT TO WALL EVERY 5'-0".

| | | | | |
|---|------------------------|------------|---------------------|----------------|
| STATE OF VERMONT DEPARTMENT OF BUILDINGS and GENERAL SERVICES AGENCY OF ADMINISTRATION MONTPELIER, VERMONT | | | | |
| E. F. KNAPP AIRPORT TERMINAL BERLIN, VERMONT | | | | |
| MECHANICAL RENOVATIONS | | | | |
| DATE: 7/21/2000 | SCALE: AS SHOWN | REVISIONS: | CAD FILE: KNAPP4 | DWG NO. M-4 |
| DRAWN BY: TJY | APPROVED BY: E.E.P. | | SHEET: 6 OF 8 | |

Pearson & Associates
 MECHANICAL & ELECTRICAL ENGINEERS
 P.O. BOX 610; STOWE, VERMONT 05672
 TEL.(802) 253-9607 FAX.(802) 253-9290
 EMAIL: pearson@stowevt.net