

ROOF SECONDARY PLAN

Dimension Key
[1] 6"
Denoted with rectangle

STATE OF VERMONT
STEVEN J. OAKESON
NO. 7648
STRUCTURAL I
LICENSED
PROFESSIONAL ENGINEER
10-24-00

VP EXP., Shape Name = Storage

W.J.C. 10-24-00

1. UNLESS NOTED, USE 1/2 DIAMETER A-325 BOLTS FOR PURLIN LAP, PURLIN TO FRAME, FLANGE BRACE TO FRAME, AND FLANGE BRACE TO PURLIN CONNECTIONS. SEE JOB DETAILS FOR BOLT LENGTHS.
2. WIND, FLANGE, AND PURLIN BRACING ARE AN INTEGRAL PART OF THE ROOF STRUCTURAL SYSTEM AND SHOULD BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. REMOVAL OR ALTERATION OF ROOF BRACING WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

Building Code: 96BOCA
Live Load: (Not Reducible) 20.00 psf
Coll. Load:Gravity 4.00, Uplift 0.00 psf
Wind Speed: 70.00 mph
Wind Exposure: C
Ground Snow: 70.00 , Roof Snow: 49.00 psf
Snow Exposure Category: 1
Seismic Hazard Group: Group 1
Building Use:Standard Occupancy Structures

THIS DRAWING, INCLUDING THE INFORMATION HEREIN, REMAINS THE PROPERTY OF VP BUILDINGS.

IT IS PROVIDED SOLELY FOR DIRECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

THE GENERAL CONTRACTOR ASSUMES SOLELY AN ALLIED RESPONSIBILITY FOR ACCURATE, HIGH QUALITY ASSEMBLIES IN ERECTING THIS BUILDING IN CONFORMANCE WITH THIS DRAWING, SHOULD NOT BE REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.

FOR CONSTRUCTION

REV.	DATE	BY	DESCRIPTION

NTS

ROOF SECONDARY PLAN

BUILDER	E.P. Mall & Associates, Inc.	VP BUILDINGS	DATE 10/22/00
COMPANY	Morrisville/Stowe State Airport		TIME 12:06:06
LOCATION	Morrisville, Vermont		DRAWN/CHECK JSp
PROJECT	Morrisville/Stowe State Airport		
DRAWING	MI0012201-01 OE1	VPC VERSION: 2.0	PAGE 5 OF 20
FILENAME	MI0012201-01OE1.vpc		

VP Buildings, Inc. 3200 Players Club Circle Memphis TN 38125 10/23/2000 10:15:49