


Covering Schedule	Start Panel	Last Panel	Increment	Direction
#120	R18067261GMD			Left to Right
#121	F03100263GMD			Left to Right
#122	R18067261GMD			Right to Left


Trim Schedule	Parts	Color	Details
T1 1	RRC, SPC	Egyptian White	RC38C4

Insulation Schedule (Install in same direction as covering)
 Id Qty Start Run Last Run
 BRK1 6 IB0420072060BS IB0420072060BS
 BRK2 1 IB0420048060BS



ROOF COVERING PLAN

FOR CONSTRUCTION



Steven J. Oakeson
 10-24-00

VP REF. - Sluice Name & Storage	VP BUILDINGS, INC. 3200 PLYMOUTH CLUB CIRCLE MEMPHIS TN 38125
1. PRE-DRILLING 1/8" DIAMETER HOLES FOR ROOF STRUCTURAL FASTENERS MAY BE REQUIRED AT 11 GAGE PERLINS, NESTED PERLINS, PERLIN LAP JOINTS, AND/OR ECONOMY STRUCTURAL BARS. 2. REMOVE ALL EXISTING ROOF COVERING AND FASTENERS. 3. SEE JOB DETAILS FOR SHEETING AND TRIM FASTENERS SPECIFICATION. 4. FOR PER PANEL, PRE-DRILLING OF STEEL FASTENERS SPECIFIED DUE TO THE ABSENCE OF A PERLIN BEARING EDGE. SEE STD M03181.	THIS VP ENGINEER'S SEAL APPLIES TO THE DESIGN AND PERFORMANCE OF THE ROOF COVERING AND FASTENERS. IT DOES NOT APPLY TO THE DESIGN OF THE BUILDING OR THE DESIGN OF THE STRUCTURE. THE DESIGN OF THE BUILDING OR THE DESIGN OF THE STRUCTURE IS THE RESPONSIBILITY OF THE ARCHITECT OR OTHER PROFESSIONAL ENGINEER. THIS SEAL IS NOT VALID UNLESS IT IS USED IN CONNECTION WITH THE ROOF COVERING AND FASTENERS. THE SEAL IS VALID FOR THE PERIOD OF 10 YEARS FROM THE DATE OF ISSUANCE. THE SEAL IS VALID FOR THE PERIOD OF 10 YEARS FROM THE DATE OF ISSUANCE. THE SEAL IS VALID FOR THE PERIOD OF 10 YEARS FROM THE DATE OF ISSUANCE.
Building Code: 980303 Live Load: (Not Reduced) 20.00 psf Dead Load: 15.00 psf Wind Exposure: C Ground Snow: 70.00 psf Snow Exposure Category: 2 Occupancy Category: 1 Building Use: Standard Occupancy Structures	Building Code: 980303 Live Load: (Not Reduced) 20.00 psf Dead Load: 15.00 psf Wind Exposure: C Ground Snow: 70.00 psf Snow Exposure Category: 2 Occupancy Category: 1 Building Use: Standard Occupancy Structures
FOR CONSTRUCTION DATE: 10/23/2000 TIME: 10:15:51	FOR CONSTRUCTION DATE: 10/23/2000 TIME: 10:15:51
PROJECT: ROOF COVERING PLAN LOCATION: NORRISVILLE/STONE STATE AIRPORT DRAWN BY: MORTENSON CHECKED BY: MORTENSON PROJECT NO: M0012201-01-081 DRAWING NO: M0012201-01-081	PROJECT: ROOF COVERING PLAN LOCATION: NORRISVILLE/STONE STATE AIRPORT DRAWN BY: MORTENSON CHECKED BY: MORTENSON PROJECT NO: M0012201-01-081 DRAWING NO: M0012201-01-081
VP BUILDINGS, INC. 3200 PLYMOUTH CLUB CIRCLE MEMPHIS TN 38125	VP BUILDINGS, INC. 3200 PLYMOUTH CLUB CIRCLE MEMPHIS TN 38125