Part Mark Key
(1) JBC1
(2) JCP052075
(3) 05C0107417
(4) 05G0107417
(5) GFA106
Denoted with hexagon



SECONDARY ELEVATION AT 1

Dimension Key
[1] 4'-2 7/8"
[2] 2'-0"
Denoted with rectangle

STATE OF VERMONT
STEVEN J. OAKESON
NO. 7648
STRUCTURAL I
LICENSED
PROFESSIONAL ENGINEER
10-24-00

W.J.C. 10-24-00

VP REF., Shape Memo - Storage , Wall - 1

1. UNLESS NOTED, USE 1/2 DIAMETER A-325 BOLTS FOR GIRT LAP, GIRT TO FRAME, FLANGE BRACE TO FRAME, FLANGE BRACE TO GIRT, JAMB AND HEADER CONNECTIONS. SEE JOB DETAILS FOR BOLT LENGTHS.
2. WIND AND FLANGE BRACING ARE AN INTEGRAL PART OF THE WALL STRUCTURAL SYSTEM AND SHOULD BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. REMOVAL OR ALTERATION OF WALL BRACING WITHOUT PRIOR AUTHORIZATION IS PROHIBITED.

THE VP ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF VP AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY VP. THE VP ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY VP EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY VP.

Building Code: 96BOCA
Live Load: (Not Reducible) 20.00 psf
Coll. Load:Gravity 4.00, Uplift: 0.00 psf
Wind Speed: 70.00 mph
Wind Exposure: C
Ground Snow: 70.00 , Roof Snow: 49.00 psf
Snow Exposure Category: 1
Seismic Hazard Group: Group 1
Building Use:Standard Occupancy Structures

THIS DRAWING, INCLUDING THE INFORMATION SHOWN, REMAINS THE PROPERTY OF VP BUILDINGS.
IT IS PROVIDED SOLELY FOR EXECUTING THE BUILDING PROCESS OF THE PARTICIPATING PARTIES AND SHALL NOT BE COPIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF VP BUILDINGS.
THE GENERAL CONTRACTOR AND/OR SUBCTOR IS SOLELY RESPONSIBLE FOR ACCURACY, SAFE QUALITY AND SAFETY OF ERECTION WITH BUILDING IN CONFORMANCE WITH THIS DRAWING. ACTUALLY REPRESENTED IN THIS DRAWING, AND APPLICABLE TO ERECTION WITHIN, AND CONSTRUCTION OF BUILDING PROCESS TO ENGINE SHOPPING, INCLUDING THE CONSULT USE OF TEMPORARY BRACING.

FOR CONSTRUCTION

REV.	DATE	BY	DESCRIPTION

NTS

SECONDARY ELEVATION AT 1

DESIGNER	H.F. Wall & Associates, Inc.
CUSTOMER	Morrisville/Stowe State Airport
LOCATION	Morrisville, Vermont
PROJECT	Morrisville/Stowe State Airport
SUPERVISOR	MI0012201-01 OE1
FILENAME	MI0012201-01OE1.vpc

VP BUILDINGS
VPC VERSION: 2.0

DATE 10/22/00
TIME 12:00:00
DRAWN/CHECK jkp
PAGE 8 OF 20

VP Buildings, Inc. 3200 Players Club Circle Memphis TN 38125 10/23/2000 10:35:55